


BIRDS IN THE SAGINAW BAY AREA

August 1- November 30, 1995



Published by the Chippewa Nature Center

Editor:

Steve Rosenberg 25 Rosemary Ct. Midland, MI 48640 (517) 631-7666

srosenberg@dow.com

Inside:

Our Winter Birds - The Common Goldeneye S. Rosenberg and Drawing by Dave Stimac	2
News From the SBA - Midland Junior Audubon S. Rosenberg	5
Florida: A Birding Excursion Kalamazoo Nature Center	5
Keep a Watchful Eye on Finches Norris Ingells/Article provided by Joe Soehnel	6
Fall Hotspots - Nayanquing Point WA S. Rosenberg	7
Fall '95 Sightings Compiled by S. Rosenberg	
The Hot Birds	8
Sightings	9

Our Winter Birds - The Common Goldeneye by S. Rosenberg, with drawing by Dave Stimac

Winter is here and that means the Common Goldeneye is among us. One of the last migrants to move south, the presence of these small diving ducks foretells of cold weather to come. While some early migrants can appear in September, peak levels are not obtained until mid-November with a reduction to final winter levels occurring by mid-December.

Check Them Out!

This species is easily viewed throughout the

Saginaw Bay where there is open water close to the Bay. Particularly good spots are the Karn Plant and the Saginaw River Mouth in Bay City (if not frozen) where good closeups are possible. For detailed directions consult Birds and Bird Finding in the Saginaw Bay, by Ron Weeks. While Common Goldeneyes can be found at inland locations such as the Dow Ponds/MCV

Pond in Midland close views are seldom afforded.

Take a Second Look.

Courtship displays begin in December and are at their peak in mid-March as pair bonds are established for the breeding season. Social displays of male Common Goldeneyes are more diverse, complex and spectacular than any other North American Waterfowl. Not to mention unpredictable! Typically displays involve small groups of two females and three to five males, but larger groups can occur. The drawing by Dave Stimac on this page shows the male Common Goldeneye performing the "Head-throw" display. This is the most common of a series of complex Head-throw

displays in which a rattling rrrt is uttered while the head is on the back. Also look for the "Head-throw-kick" and "Bowsprit" displays see the figure on the next page. Be sure to look for aggressive actions from one male Common Goldeneye towards another. Look very carefully as these are initiated by the female! The female Common Goldeneye will "Incite" the male they are bonding with to attack neighboring males. However, this will often just cause the male follow more closely

and shake his head. When they do attack it is often done from below the surface.

They are also magnificent in flight and you should pattern. Especially at when these day feeders deeper water nighttime


have plenty of opportunity to study their typical "diver" flight dusk or dawn on the bay move to or from their

rafts.

Think About Summer.

While eying our flashy winter visitor think about what the next year has in store for these ducks. As tree cavity nesters, the females are quite loyal to the previous year's nest hole, or in the case of first time breeders the vicinity of their birth. With significant range overlap with Wood Ducks one might assume that nest competition could be fierce, however, Prince noted that in New Brunswick, Common Goldeneyes were more prone to using "bucket" type cavities and selected more open woods, near the edges of fields or marshes than did Wood Ducks. Male Common Goldeneyes desert their mates shortly after incubation is











Left Figures, from top to bottom. The "Slow Head-throw-kick" display. Photocopied from Johnsgard (1965). Right Figures, from top to bottom. The male "Bowsprit" display. The female is "Head-pumping". Photocopied from Johnsgard (1965).

initiated and migrate to preferred lakes and rivers for the postmuptial molt. As with most of the North American Anas ducks, the women do all the work! Unfortunately for Common Goldeneyes, the girls just aren't that adept raising their young. Mortality is high and females often misplace chicks moving from one area to another.

Goldeneye Factoids.

In 1925 Common Goldeneye were noted for their food value and advertised at a street value of two goldeneyes per Mallard.

Common Goldeneyes congregate near Point Pelee Ontario to enjoy high concentrations of Zebra Mussels (study dates 1990-91). Mussel populations are unaffected by the diving duck rafts as the region freezes in winter allowing regeneration of the mussel population. However, their presence greatly impacts where Common Goldeneyes stopover in migration.

Although most closely related to the Barrow's Goldeneye, the Common Goldeneye is also closely related to the Hooded Merganser and Smew.

For You Identification Specialists, Check Out: Natural hybrids between the Common Goldeneye, Bucephala clangula, and Barrow's Goldeneye, B. islandica. Canadian Field-Naturalist 108(2): 195-198, 1994.

References

Bellrose, F.C. 1976. Ducks, Geese and Swans of North America. Stackpole Books, Harrisburg, PA. Pp. 427-426.

Hamilton, D.J.; Ankney, C.D.; Bailey, R.C. "Predation of zebra mussels by diving ducks: An exclosure study." Ecology (Tempe) 75(2): 521-531

Johnsgard, P.A. 1965. Handbook of Waterfowl Behavior. Cornell University Press, Ithaca, NY.

Johnsgard, P.A. 1968. Waterfowl, Their Biology and Natural History. University of Nebraska Press. Lincoln, NE.

Johnsgard, P.A. 1975. Waterfowl of North America. Indiana University Press, Bloomington, IN. Pp. 472-483.

Johnsgard, P.A. 1978. Ducks, Geese and Swans of the World. University of Nebraska Press. Lincoln, NE. Pp. 343-345.

Prince, H.H. (1968). "Nest sites used by wood ducks and common Goldeneyes in New Brunswick." Journal of Wildlife Management, 32: 489-500.

News From The SBA Midland Junior Audubon by Steve Rosenberg

Starting in February Midland will have it's very own Junior Audubon, sponsored by the Midland Nature Club. The group is being organized by Susan Stephens, Julie Lavigne and myself. Anyone in the 7 county SBA area is welcome to join, just contact me at 631-7666 to sign up. Our tentative schedule of events is:

February Animal Tracking
March Fossils, Minerals, Rocks
April Spring Duck Migration
May Bog Study
June Marsh Birds
July Butterfly Study

Our mission is fourfold:

- 1. To provide youth with a opportunities for broader and more in-depth study of the natural sciences.
- 2. To provide youth with leadership opportunities in planning and organizing workshops.
- 3. To introduce youth to various vocational opportunities related to natural science.
- 4. To encourage a life-long love of, and stewardship ethic towards nature.

We already have a strong committed core group of parents and kids and would love to have anyone else who wants to participate. The new group will focus on the 6th grade and up, with younger kids welcome to attend with their older siblings. All participants of club activities must be accompanied by a responsible adult.

Florida: A Birding Excursion the Kalamazoo Nature Center

Southern Florida is a birder's paradise! Escape the cold weather and join us for this 9 day excursion to observe and learn about the tremendous variety of birds and other wildlife which inhabit this sub-tropical are. Whether you're a beginning birder or experienced, this trip will be a great way to explore this unique region. The trip begins and ends in Tampa, FL and includes birding at Myakka River State Park, Sanibel Island's Ding Darling National Wildlife Refuge, Marco Island, Big Cypress Swamp, Tamiami Trail and Audubon's Corkscrew Swamp Sanctuary. One highlight of the trip will be 3 days and 2 nights in Everglades National Park.

Well over 100 species of birds will be seen (many at close range) including herons, egrets, ibis, pelicans, raptors, rails, shorebirds and passerines. We will also look for specialties including Reddish Egret, Wood Stork, Roseate Spoonbill, Everglade's Kite, Short-tailed Hawk, Crested Caracara, Limpkin, Purple Gallinule, Wilson's and Snowy Plover, White-crowned Pidgeon, Smooth-billed Ani, Burrowing Owl and much more.

Trip leaders are KNC Naturalist Chip Francke and wildlife artist Tom Ford. Both have extensive birding experience in Florida and look forward to sharing these special "warm" places with you. Trip cost is \$875 which includes 9 nights motel accommodations (double occupancy), transportation via van from Tampa, all leadership costs, park fees and one dinner at Flamingo Lodge Restaurant. The fee does not include your transportation from your home to Tampa or meals. An option of riding in the KNC van from Michigan for an additional fee will be offered.

For more info contact Chip Francke at 616 381-1574. Registration deadline is January 15.

Keep a Watchful Eye on Finches Norris Ingells

The following is a reprint of an article published on 11/15/95 by Norris Ingells in the Lansing State Journal. Thanks to Joe Soehnel for providing us with this important information.

(

Disease plagues birds on the East Coast, may be heading to Midwest.

Perhaps because they're so common and not particularly pretty, house finches don't usually excite folks with bird feeders.

Now, however, there's a good reason for you to keep an eye on these familiar feathered friends.

A bacterial disease called mycoplasma has been infecting finches in several Eastern states, and was recently reported as close as Indiana.

So far, no cases have been reported in Michigan, says Tom Cooley, a Department of Natural Resources wildlife biologist and pathologist at Rose Lake Wildlife Research Area.

"Indiana is the furthest west it has been reported," Cooley said. "Most everything else has been out on the East Coast."

Though harmless to humans, it's serious and usually fatal disease for birds.

"It causes an inflammation of the lining around the eyeball and the eye can become closed," said Cooley. "They fly erratically and appear blurry-eyed. There's not a lot you can do about it."

"Because they eat together, and roost together, there's a likelihood of it spreading," he said.

Commercial chicken and turkey producers routinely vaccinate their birds against the disease, he said.

Biologists are taking the outbreak seriously.

"It's apparently able to go into any avian species - mourning doves, song sparrows, goldfinches, cardinals," said Don Beaver, a Michigan State University ornithologist.

He recommends weekly cleaning of feeders, especially those with flat surfaces where feces and other mess may accumulate and where the birds walk around in it. You may want to use a disinfectant.

Tube feeders aren't as much of a problem because birds can only sit on the perches one at a time and there's very little flat surface where excrement can pile up.

Cooley is asking feeder owners to keep an eye out for birds with the disease. If you observe finches acting like they can't see where they're going or find dead ones around your feeder, take it to your nearest DNR field office and they'll see that Cooley gets it.

For the SBA area contact:

Doug Reeves, Biologist DNR 503 N. Euclid Bay City, MI 48706 (517) 684-9141 ext. 8030

Fall Hotspots - Nayanquing Point WA S. Rosenberg

Nayanquing Point Wildlife Area is one of my favorite fall birding spots. I head there primarily for migrating waterbirds and I find the spot extremely reliable for large numbers of Tundra Swans, Canvasback, Hooded Mergansers, Greater Scaup, Bufflehead, Redhead, Pied-billed Grebes and several other interesting waterbirds.

This year was no exception as the Tundra Swans began to arrive in mass in early November, peaking by mid-November and still around by Thanksgiving. At the peak there were 2000 of our northern friends. In fact I would say that we had a low peak count this year. Certainly one can find more Tundra Swans in the spring (5-10000) around Fish Point to Bayport, but it is a hit or miss proposition. The birds move around the bay quite a bit and the window of opportunity is narrow and variable. In contrast, the migration window is quite reliable in the fall and large numbers of birds are easily found at Nayanquing! Just walk to the beach and you are guaranteed several hundred at a minimum. Don't forget to check out Erickson, Sherman and Anderson roads for waterbird rafts as they can spread to over a couple of miles.

I generally start at the beach near the tower as the swans are most often found just offshore. Next head to the tower as Sherman and Anderson roads are in view. Look for more swans and the diver rafts. If visible from the tower then head directly to Sherman and Anderson roads, otherwise head north to Erickson road. Look for good numbers of Pied-biled Grebes (>20), American Coots (>500) and Hooded Mergansers (>20). The South pool can provide some nice closeups of dabblers and divers if it isn't frozen yet. In the South pool

and just outside along the perimeter dike is where large numbers of buffleheads (>100) often congregate.

The large rafts of diving ducks are always present at this time and in late November Nayanquing is one of the best places to view large numbers of Canvasback an in the SBA. A little more luck is required with the diving duck rafts as wind and temperature effect how close they come to shore. I have had them so close I had to hide in the trees to avoid flushing them. Of course flushing 2,000+ Canvasback can be entertainment enough. At other times I've wished I were on a boat as prevailing winds did not favor a close view.

This year's late hunting season (through November) combined with the early freeze Thanksgiving week made it difficult to find large groups of Hooded Mergansers and kept the Canvasback and Redheads at a distance. But many other waterbirds were still readily viewed in great numbers. Keep Nayanquing in mind next fall if viewing large numbers of Tundra Swans is your goal. Best diving duck viewing will occur when the wind is from the east as the birds tend to stay closer to shore. If hunters are about, the diving duck rafts tend to move north up the beach a couple of hundred yards or south to Anderson road.

Don't forget to eye every bird as two years ago and Oldsquaw, Black Scoter and a Surf Scoter were found amongst the diving ducks. Who knows maybe a fall Tufted Duck will occur.

By the way, birds aren't the only game in town. A long careful scan from the tower into the nearby fields can turn up deer, foxes and the occasional mink.

Fall '95 Report - The Hot Birds S. Rosenberg

The fall of '95 will be remembered for:

- 1. Waterbirds, waterbirds, waterbirds!!!
- 2. Several notable Owl sightings.
- 3. 11 new SBA record sightings.

(

4. A mediocre species count for the period.

Among the waterbird highlights were (in taxanomic order):

Red-throated Loon Snowy Egret Tricolored Heron Glossy Ibis Brant Black Scoter American Avocet Willet Hudsonian Godwit Marbled Godwit Buff-breasted Sandpiper Red-necked Phalarope	Tawas Point SP Karn Plant Nayanquing Pt Shiawassee NWR Tawas Point SP Tawas Point SP Shiawassee NWR Nayanquing Point Shiawassee NWR Nayanquing Pt Several locales Two locations
Red-necked Phalarope	Two locations
Franklin's Gull	Karn Plant
Little Gull	Tawas Point SP
Lesser Black-backed Gull	Two locations
Black-legged Kittiwake	Saginaw River

In addition an SBA fall high 320 Ruddy Ducks and an SBA record high 56 Baird Sandpipers were recorded from the Dow Ponds as well as the first Arenac County Moorhen record. Once again extraordinary waterfowl rafts were present at Nayanquing Point and Tobico Marsh and Tawas Point maintained it's reputation as one of the best fall waterbird migrant traps in the region.

All in all a fantastic waterbird season!!!

For the Owls:

Snowy Owl	Saginaw River
Long-eared Owl	Tawas point SP
Short-eared Owl	Several locations
Northern Saw-whet Owl	Tawas point SP

Other record high sightings include: an SBA high 10 Merlins (yes that was ten!!!), an SBA high 255 Mourning Doves, SBA high 20 Swamp Sparrows, SBA high 300 Bobolinks, SBA fall high 32 Yellow-head Blackbirds and an SBA high 190 House Finches. New late records were recorded for Tree Swallow (11/7), Barn Swallow (11/3) and Veery (10/2).

Despite all the hoopla a mediocre 229 species were recorded for the period including no reports of:

Broad-winged Hawk Willow Flycatcher Alder Flycatcher Bank Swallow Wood Thrush Northern Waterthrush Mourning Warbler Field Sparrow

This probably reflects a lack of coverage (or reporting from) the appropriate habitats as all of these species were readily found earlier in the year and are usually reported in the fall.

The winter period is already shaping up with some interesting birds, but you'll have to wait a couple of months to hear the scoop.

Fall '95 Report - The Sightings

As is customary the emphasis is upon early, peak and late dates as well as notable sightings. Sightings that occur outside of the dashed lines in Ron Week's Birds and Bird Finding in the Saginaw Bay are considered notable and are published even if the sighting is not the early, late or peak. In addition, reports that seem notable for a particular region even if not the early, late or peak are generally published. For migrants or breeders already reported in the summer period the early fall date is somewhat irrelevant and is generally not published. Similarly, late dates for species known to winter here or are known to be here in December at the time of compilation of this newsletter are generally not published.

Red-throated	Loon			
1	11/3	Tawas Point SP, Io	RW	Only report.
Limited co	verage this fall at Ta	was Point for flyby waterbirds.		
Common Loo			DD.	
1 82	9/8 10/45	Tawas Point SP, lo	BB SR	
82 1	10/15 11/25	Au Sable RM, Io Tawas Point SP, Io	BB	
Pied-billed Gr		Tarras Forth Of , to	55	
10	8/27	Wigwam Bay WA (E), Ar	SR,RW	
13	9/8	Tuttle Marsh WA, lo	BB [°]	
26	9/21	Shiawassee NWR, Sa	DP	
1	11/24	Karn Plant, Ba	JS,GS	
Horned Grebe		T 01.00.1	25	
1	9/24	Tawas Point SP, Io	SR	No tono academia della
11 2	10/29 11/6	Alabaster Twp, lo Hu	GZ TB	No large numbers this fall,
Z Red-necked G		NU	10	
1	10/7	Tawas Point SP, to	RW,SR	
4	10/28	Tawas Point SP, to	RW	
Eared Grebe		•		
1	9/9	Karn Plant, Ba	JS,GS et al	
1	9/23	Dow Ponds, Mi	SR	
Double-creste		44 - BL - S	10.00	
950	9/9	Karn Plant, Ba	JS,GS	
552 750	9/29 10/6	Shiawassee NWR, Sa Karn Plant, Ba	DP JS	
		w River and the Karn Plant.	33	
American Bitte		Willer and the Raiss Lant.		
1	8/5-9	CNC, Mi	HS	Interesting location.
1	9/1-29	Shiawassee NWR, Sa	DP	-
3	10/14	Cotter Rd, Ba	SM	
1	10/28	Cotter Rd, Ba	SM	
Great Blue He		Chiamana MAID Ca	DD.	05 (-4 41/0
123 2	9/7 11/12	Shiawassee NWR, Sa	DP CN P*MP	65 left on 11/8.
Great Egret	11/12	Tawas Point SP, lo	GN, R&MP	
289	8/16	Shiawassee NWR, Sa	BG	
7	9/8	Tuttle Marsh WA, lo	BB	Notable for this far north.
9	11/1	Shiawassee NWR, Sa	DP	High November count.
Snowy Egret				•
_ 1	9/2	Karn Plant, Ba	JS,GS	
Tricolored He				
Turk bita da sa	8/16	Nayanquing Pt WA, Ba	RW	Last date this bird was seen.
	as documented durin	g the summer period.		
Green Heron 5	8/4	Shiawassee NWR, Sa	DP	
2	9/14	Shiawassee NWR, Sa	DP	
Black-crowned				
43	10/2	Shiawassee NWR, Sa	DP	
1 im.	10/28	Tawas Point SP, Io	RW	Late away from warm water.
1	11/7	Shiawassee NWR, Sa	DP	
1	11/24	Karn Plant, Ba	JS,GS	Immature.
Glossy Ibis	024.0.04	Chiamana MMD Ca	DD DW	Alb CDI
l Documents	8/18-21	Shiawassee NWR, Sa	DP, RW, et. al.	9th SBA record!
Tundra Swan	tion included for stat	e compiler,		
23	10/12	Hu	ТВ	
2000	11/12	Nayanquing Pt WA, Ba	SR, LR, LH	1200 left on 11/18
•			, - ,	· · -

Noted throu	ugh period,			
Mute Swan 8	10/21	Bay City SP, Ba	SR	Peak count.
Snow Goose	10/21	24) Chy C. 124	3 1,	• • • • • • • • • • • • • • • • • • • •
4	9/22	Shiawassee NWR, Sa	DP	
12	10/2	Midland, Mi	RA	
134	11/8	Shiawassee NWR, Sa	DP	90% blue phase.
1	11/23	Dow Corning, Mi	RA	
Brant*				
1	11/2	Tawas Point SP, lo	RP	5th SBA record.
Canada Goose				~
17113	11/30	Shiawassee NWR, Sa	DP	Peak count.
Wood Duck	0.40	ONO 15	DV	0
30	8/19	CNC, Mi	PK	Good inland count.
245	8/25	Shiawassee NWR, Sa	DP CD DW	
50	8/27	Wigwam Bay WA (E), Ar	SR, RW	Noted ista winter period
1 Cross wisesed	11/29 Tool	Saginaw R. Ba	RW	Noted into winter period.
Green-winged 20	8/5	Neverguing Pt WA Ro	RW,BB et al	
250	10/19	Nayanquing Pt WA, Ba Tobico Marsh SGA, Ba	RW	
918	11/1	Shiawassee NWR, Sa	DP	Seen from summer period.
1	11/22	Shiawassee NWR, Sa	DP	Last report.
American Blac		Siliawassee 111111, Sa	ы	cast report.
807	11/30	Shiawassee NWR, Sa	DP	
Mallard	11100	Chanasso HTTL, Ca	5 1	
14169	11/22	Shiawassee NWR, Sa	DP	
Northern Pintai		omanasse mm, oa	Ο,	
3	 8/9	Nayanquing Pt WA, 8a	RW .	
500	10/19	Tobico Marsh SGA, Ba	RW	
2	11/25	Dow Ponds, Mi	GZ	
Blue-winged Te	eal	,		
230	9/7	Shiawassee NWR, Sa	DP	
30	9/9	Nayanquing Pt WA, Ba	GZ	
1	10/8	Tobico Marsh SGA, Ba	SR, LR	Unusual October bird.
1	10/8	Hu	TB	
3	10/13	Dow Ponds, Mi	RW	
1	10/14	Karn Plant, Ba	JS,GS	
3	10/19	Shiawassee NWR, Sa	DP	
Northern Shove	eler			
291	10/5	Shiawassee NWR, Sa	DP.	
48	10/24	Dow Ponds, Mi	RW	·
1	11/30	Shiawassee NWR, Sa	DP	
Gadwall	4047	1101/15 1.15	פאי סיים דוג	
39	10/17	MCV Pond, Mi	RW,SR,EK	1 - 4 4 - 4 - 4 - 4 - 4 - 4 - 4
20	11/1	Shiawassee NWR, Sa	DP	Last reported date.
American Wige 639		Chicurages MM/D. Co.	DP	
1000	10/5 10/21	Shiawassee NWR, Sa Bay City SP, Ba	SR	
	_	n the Saginaw River.	311	
Canvasback	gir end of period no.	il the Dagmaw Three.		
3	10/17	Dow Ponds, Mi	SR, RW, EK	First migrants.
290	10/25	MCV Pond, Mi	RW	High inland count.
487	11/1	Shiawassee NWR, Sa	DP	A few summered here.
500	11/12	Nayanguing Pt WA, Ba	SR,LR,LH	
1	11/22	Shiawassee NWR, Sa	DP	
Redhead				
600	11/4	Но	TB	
1	11/5	Nayanquing Pt WA, Ba	SR	Many, but hard to count.
Ring-necked Du	uck			•
7	8/26	Tuttle Marsh WA, Io	BB	
1	8 <i>1</i> 27	Wigwam Bay WA (E), Ar	SR,RW	
250	10/19	Tobico Marsh SGA, Ba	RW	
382	11/8	Shiawassee NWR, Sa	DP	
_ 1	11/22	Shiawassee NWR, Sa	D₽	
Greater Scaup				
4	9/23	Dow Ponds, Mi	SR	Early.
		ht and observe the white primary bar		
2	10/7	Tawas Point SP, Io	SR, RW	

(

	We were at	ole to see the extens	ive white primary bar.		
	300	10/15	Three Mile Park, lo	SR	3-500 more probables.
	4	11/18	Nayanguing Pt WA, Ba	SR	•
	Lesser Scaup	, ,,,,,	(12) 2.14 2.15 (2.2		
		0.004	Chicuracasa MMD Ca	DP	
	1	9/21	Shiawassee NWR, Sa		
	45	11/6	Hu	TB	
	Oldsquaw				
	30	10/15	Hu	TB	
	58	10/28	Tawas Point SP, lo	RW	
	13	11/25	Tawas Point SP, lo	BB	
	Black Scoter		, ,		
		10/7	Tawas Point SP, Io	RW,SR, BB	
	1				
	4	10/30	Hu	ТВ	
	Surf Scoter			00 000 00	
	3	10/7	Tawas Point SP, lo	SR, RW, BB	
	White-winged \$	Scoter			
	12	10/15	Au Sable RM, lo	SR	
	400	10/22	Three Mile Park, lo	RW.BB. D&ES	Regular locale.
	3	11/4	Tawas Point SP, lo	BB	
			Tawas Folia St., 10	טט	
	Dark-winged S	•	Towns Dalas CD 1s	DD DW CD	
	7	10/7	Tawas Point SP, lo	BB, RW, SR	
	5	10/21	Tawas Point SP, lo	RW, BB	
	2	10/22	Three Mile Park, Io	RW, D&ES	
	3	10/28	Tawas Point SP, Io	RW	
	Common Gold		•		
	1	10/7	Tawas Point SP, lo	BB	
				BB	
	65	11/25	Tawas Point SP, lo	UD	
		igh end of period.			
	Bufflehead				
	3	10/15	Au Sable RM, Io	SR	
	133	11/4	Tawas Point SP, Io	₿B	
	65	11/25	Tawas Point SP, Io	BB	
	Noted throu				
	Hooded Merga		Tauras Daiat CD Ia	DD	
_	40	11/4	Tawas Point SP, lo	BB	
	30	11/8	Shiawassee NWR, Sa	DΡ	
	14	11/24	Tawas Point SP, Io	BB	
	Noted throu	ah period.			
	Common Merg				
	1	9/16	Alabaster, lo	JS,GS	
	4776	11/15	Shiawassee NWR, Sa	DP	
	6500	11/17	MCV Pond, Mi	RW	
		gh end of period.			
	Red-breasted N	Merganser			
	6	9/24	Tawas Point SP, Io	SR	
	950	10/15	Three Mile Park, lo	SR	
	3500	10/28	Tawas Point SP, Io	RW	
		gh end of period.			
	Ruddy Duck	an one of period.			
		0/21	Shipuranena MMD Sa	ND.	
	9	9/21	Shiawassee NWR, Sa	DP	Na fall 57-51
	320	10/13	Dow Ponds, Mi	RW	New fall high!
	219	11/1	Shiawassee NWR, Sa	DP	
	7	11/22	Shiawassee NWR, Sa	DP	
	Turkey Vulture		•		
	15	10/8	Tawas Point SP, lo	BB	
	3	11/4	Tawas Point SP, lo	BB	
	_	11/4	Tawas Folik Sr, 10	55	
	Osprey	***	90 or 44 - 1 3164 1	DD	
	1	8/26	Tuttle Marsh WA, lo	BB	
	1	8/31	Dow Ponds, Mi	RW	
	1	9/6,11	Shiawassee NWR, Sa	DP	
	1	9/13	Saginaw R, Ba	JS	
	1		CNC, Mi	CNC visitor	
		10/9	ONO, IVII	OTAC AIRITOI	
	Bald Eagle	4 4 4	Blisman FRAD C	DĎ	
	11	11/1	Shiawassee NWR, Sa	DP	
	Noted throu	gh period.			
	Northern Harris	er –			
	4	8/1	Shiawassee NWR, Sa	DP	
	4	8/13	Nayanquing Pt WA, Ba	TW	
		-	· · · · · · · · · · · · · · · · · · ·		

Noted th	rough period.			
Sharp-shinn			District of all	
1	9./9	Karn Plant, Ba	RW et al	
3	11/4	Tawas Point SP, Io	BB GN, PJ, PCo	
2	12/1	East Tawas, lo	GN, FO, FOO	
Cooper's Ha				
Northern Go	rough period.			
1	11/4	Tawas Point SP, Io	BB	
Red-shoulde		14,144 . 5,114		
No Repo				
Broad-winge				
No Repo				
Red-tailed H				
19	11/4	Tawas Point SP, Io	BB	
1 7	11/8	Shiawassee NWR, Sa	DP	
		showed up for its 7th year on 11/6.		
	rough period.			
Rough-legge		ONG ME	10.00	
1	10/16	CNC, Mi	JS,G\$ JS	
5 Nata 2 15.	11/2	Bay City SP, Ba	00	
American Ke	rough end of period.			
	rough period.			
Merlin	rough penou.			
1	9/25	Waterworks Park, Mi	RW	
10	10/7	Tawas Point SP, lo	RW,SR,BB	New SBA high!
1	10/21	Tawas Point SP, Io	BB	
1	11/1	Karn Plant, Ba	JS,GS	
Peregrine Fa	alcon			
1	8/16	Shiawassee NWR, Sa	BG	7
1	9/7	Shiawassee NWR, Sa	DP	Tundra race imm.
1	9/8	Shiawassee NWR, Sa	BG SD DW stal	
]	9/9	Karn Plant, Ba	SR, RW, et.al. DP	Tundra race ad.
1	9/22	Shiawassee NWR, Sa Shiawassee NWR, Sa	DP DP	tollara race ac.
1	9/25 10/1	Tawas Point SP, Io	RW,SR	
1	10/6	Bay City SP, Ba	JS	
1	10/7	Tawas Point SP, Io	RW,SR,BB	
1	10/8	Tawas Point SP, Io	BB	
1	10/21	Alabaster, lo	BB	
Ring-necked	l Pheasant			
Noted the	rough period.			
Ruffed Grou			~=	
1	10/10	Midland, Mi	GZ	
1	10/27	Shiawassee NWR, Sa	ED	
Wild Turkey		2NO 15	СН	
25	11/21	CNC, Mi	Off	
Northern Bo	rough period. bybito			
1	11/25	Midland, Mi	GZ	
Virginia Rail		and artist the		
3	10/14	Cotter Rd, Ba	SM	Very late date.
Sora				•
2	8/22	Shiawassee NWR, Sa	DP	
Common Mo				
20	8/16	Nayanquing Pt WA, Ba	RW	
18	8/25	Shiawassee NWR, Sa	DP	
3	8/27	Wigwam Bay WA (E), Ar	SR,RW	First Arenac county record!
2	10/6	Karn Plant, Ba	JS	
American Co			22	
331	10/12	Shiawassee NWR, Sa	DP EV	
249	10/17	MCV Pond, Mi	RW,SR,EK	
1	11/8	Shiawassee NWR, Sa	DP	
	rough period at MCV.			
Sandhill Cra 1	ne 8/18	Shiawassee NWR, Sa	RW	
2	10/12	Shiawassee NWR, Sa	DP	
_				

(

•	1007.00	£1	TD	
1 Plank halling	10/27,30	Ни	TB	
Black-bellied		Newsonian Br WA Be	DIA	
4 15	8/1 10/1	Nayanquing Pt WA, Ba	RW	
14	10/1 10/26	Finn Road, Ba Hu	JS,GS	
	olden-Piover	riu	TB	
1	10/8	Hu	TB	
3	10/26	Fish Point WA, Tu	TH,MM	
Semipalmat		HSH FORK TEA, 10	7 L2 TATIAL	
3	8/4	Dow Ponds, Mi	EK	
14	8/4	Shiawassee NWR, Sa	DP	
2	10/17	Dow Ponds, Mi	SR, RW, EK	Several late reports this year.
1	10/17	Tawas Point SP, Io	GN GN	Several late reports this year.
i	10/13/20	Tawas Point SP, Io	RW,BB	
ġ	10/24	Dow Ponds, Mi	RW BB	Present for some time.
Killdeer	14/21	Davi Tanas, III		Tresent is some time,
114	8/21	Shiawassee NWR, Sa	DP	
1	11/2	Shiawassee NWR, Sa	DP	
American A		Cinavasses itili, sa	,	
1	8/10	Shiawassee NWR, Sa	DP	
Greater Yell		omanacco i i i i i ca	<i>D</i> .	
35	9/29	Shiawassee NWR, Sa	D₽	
11	11/1	Shiawassee NWR, Sa	DP.	
Lesser Yello		omanasso min, ca	ъ,	
154	8/18	Shiawassee NWR, Sa	DP	
4	11/4	Hu	TB	
Solitary San		110	10	
1	8/1	Nayanquing Pt WA, Ba	RW	
7	8/4	Shiawassee NWR, Sa	DP	
2	9/19	Shiawassee NWR, Sa	DP	
Willet	•		5.	
1	?	Nayanquing Point WA	BA	Seen in early August
Spotted San	dpiper		_,,	out, in tarry , rageon
15	8/22	Dow Ponds, Mi	RW	
1	10/1	Tawas Point SP, Io	RW,SR	
1	10/7	Shiawassee NWR, Sa	DP	
Hudsonian	Godwit	,		
1	9/21	Shiawassee NWR, Sa	DP	
Marbled Go				
_ 1	8/5	Nayanquing Pt WA, Ba	BB,RW,RH et a	l First noted in summer,
Ruddy Turns				
2	8/1	Nayanquing Pt WA, Ba	RW	
5	8/30	Dow Ponds, Mi	EK	
_ 1	9/11	Dow Ponds, Mi	RW	
Red Knot				
2	8/13	Nayanquing Pt WA, Ba	TW	
2	9/4	Dow Ponds, Mi	RW	Juveniles.
1*	10/18	Tawas Point SP, Io	GN	
Sanderling	0.40	0 0 1 12		
2	8/12	Dow Ponds, Mi	SR	
37	9/28	Tawas Point SP, Io	GN	
8	11/4	Karn Plant, Ba	JS	•
Semipalmate		Objective - PRES. O.	D.D.	
137	8/4	Shiawassee NWR, Sa	DP	
1 Lance Candai	10/19	Shiawassee NWR, Sa	DP	
Least Sandpi		Chiavanana NIMD Ca	DD	
31 75	8/4	Shiawassee NWR, Sa	DP	
	8/9	Nayanquing Pt WA, Ba	RW .	
1	10/20	Dow Ponds, Mi	RW	
4 White armos	10/26	Fish Point WA, Tu	TH,MM	
White-rumpe		Morrosquina Dt WA Do	DW	A which a
3 5	8/4 8/12	Nayanquing Pt WA, Ba	RW	Adults.
3		Dow Ponds, Mi	SR	
1	8/31 9/9	Dow Ponds, Mi	RW	
l Na imaail		Shiawassee NWR, Sa erally come through in late October.	RW et al	
Baird's Sandı		erany withe unbugh in late October.		
1	8/4	Nayanquing Pt WA, Ba	ŔW	Adult.
•	V/ 1	of and one it it it.	1187	AUUIL

56	8/31	Dow Ponds, Mi	RW DP	New SBA high count!
1	9/29	Shiawassee NWR, Sa	ÐΓ	
Pectoral Sand		Nayanquing Pt WA, Ba	RW .	
50 75	8/9 9/14	Shiawassee NWR, Sa	ÐΡ	
2	11/6	Bay City SP, Ba	RW	
Dunlin			16.08	
3	9/17	Karn Plant, Ba	JS,GS DP	Two seen from previous period.
188	10/26	Shiawassee NWR, Sa Hampton Twp, Ba	JS	• • • • • • • • • • • • • • • • • • • •
150	10/28 11/25	Karn Plant, Ba	SR, JS	
1 Stilt Sandpipe		(14.11) 16.11, 0-		
1	8/4	Dow Ponds, Mi	EK	One deficite juncanile on 8/9
12	8/9-16	Nayanquing Pt WA, Ba	RW	One definite juvenile on 8/9.
10	8/30	Dow Ponds, Mi	\$R RW	
2	9/9	Dow Ponds, Mi	Livi	
Buff-breaste		Dow Ponds, Mi	EK	
1	8/4 8/4	Nayanquing Pt WA, Ba	RW	Adults.
2 1	8/6	Nayanquing Pt WA, Ba	via TW	
2	8/22	Dow Ponds, Mi	RW	
1	8/31	Shiawassee NWR, Sa	DP	
Only 4 pre	evious August record	s.		
Dowitcher sp		Daw Boods, Mi	EK	
1	8/4	Dow Ponds, Mi Shiawassee NWR, Sa	DP	
29	9/29 11/1	Shiawassee NWR, Sa	ÐΡ	
9 Almost ce	rtainiy L-B based on			
Short-billed [DW	
15	8/9	Nayanquing Pt WA, Ba	RW . DP	
28	8/18	Shiawassee NWR, Sa	SR	
1	8/30	Dow Ponds, Mi	011	
Common Sn	pe 8/26	Tuttle Marsh WA, lo	BB	
10 25	10/26	Shiawassee NWR, Sa	DΡ	
1	11/17	Shiawassee NWR, Sa	ED	
American W	oodcock		IC.	
1	10/12	Chevy Woods, Ba	JS RL	
1	11/4	Coleman, Mi	116	
Wilson's Pha		Shiawassee NWR, Sa	BG	
} •	8/24 8/25	Shiawassee NWR, Sa	DP	
Red-necked				
1	8/22	Quanicassee SGA, Tu	DD DW -4-5	
1	8/22-30	Dow Ponds, Mi	RW, et.al.	
Red Phalare		T Deiet CD In	BB. RW	
1	10/21	Tawas Point SP, Io d. The 300th bird for los∞ County!	Also only the four	rth SBA record!
Appeared Franklin's C	zuli 2 f0 de 9 învenire ou	2. 1110 00001 0110 101 1010 1		
1	10/14-15	Karn Plant, Ba	JS,GS,RW	
Little Gull*		- 4 1	DB	Adults.
2	11/2	Tawas Point SP, Io	RP	Addits.
Bonaparte's		Dow Ponds, Mi	SR	
2	8/10 9/24	Tawas Point SP, Io	SR	
210 300	10/21	Tawas Point SP, lo	BB, RW	
362	11/5	Cheboyganing Cr, Saginaw	D₽	
300	11/16	Saginaw R, Ba	JS	
Noted th	rough period.			
Ring-billed (Gull	K Diant Bo	JS,GS	
2500	11/14	Karn Plant, Ba Shiawassee NWR, Sa	DP	
2051	11/22	Offichassee Hitti, Od	_,	
Herning Gul	1 11 <i>1</i> 30	Shiawassee NWR, Sa	DP	
2802 Glaucous G				Charles and the
1	10/21	Tawas Point SP, lo	BB, RW	Quite early.
1	11/4	Tawas Point SP, lo	GN, BB	
Noted th	rough end of period	in small numbers.		
		1.4		

Lesser Bla	ack-backed Gull			
1	9/25	Waterworks Park, Mi	ВW	Page 110 H. A. L.
1	10/15-11/6	Bay City SP, Ba	RW	Second Mi record! A molting adult.
	k-backed Gull	, , ,	1144	
4	8 <i>1</i> 26	Tawas Point SP, to	B8	
6	10/21	Karn Plant, Ba	JS	All adults.
6	11/3	Tawas Point SP, Io	B8	All addits.
1	11/30	Shiawassee NWR Sa	DP DP	Adult.
Noted th	rough end of perior	d.	O.	Addit.
	ed Kittiwake			
1	11/13,22	Saginaw R, Ba	RW	Set winter hinds Daniell
Caspian Te	r n		****	1st winter birds. Possibly same bird.
30	9/19	Bay City SP, Ba	RW	
1 -	11/2	Karn Plant, Ba	JS	
Common Te				
550	8/26	Tawas Point SP, Io	BB	
500	10/14	Karn Plant, Ba	JS,GS	
3	11/11	Karn Plant, Ba	JS,GS	
Forster's Te			,	
100	10/14	Karn Plant, Ba	JS,GS	
6 Plant T	11/2	Karn Plant, Ba	JS	
Black Tern	0.40			
8	8/13	Nayanquing Pt WA, Ba	SR	
1	8/26	Tuttle Marsh WA, lo	BB	
Rock Dove			•	
100	8/1	Bay City, Ba	JS	
Noted thr	ough period.	•		
Mourning Do				
255	11/17	Shiawassee NWR, Sa	DΡ	New SBA peak!
Noted thro	ough period.			non obs peak:
Black-billed (
1 Footors See	8/27	Wigwam Bay WA (E), Ar	SR,RW	
Eastern Scre 14			7	
2	8/23	Shiawassee NWR, Sa	DP, BG	
Great Horned	10/10	GPELC, Sa	DP	
Snowy Ow!	ited through period.	•		
1	1440	.		
Barred Owl	11/13	Saginaw R, Ba	GÇ	
1	8/22	Obia buoma		
1	10/10	Shiawassee NWR, Sa	DP	
1	11/19	GPELC, Sa	DP	
Long-eared C		Tawas Point SP, lo	GN, SC	
1	11/3	Tanana B. i. a. B. i.		
1	11/12	Tawas Point SP, lo	RW,8B, BD	Also seen on 11/4.
Short-eared C	Dw!	Tawas Point SP, Io	GN, R&MP	
1	10/28	Tours Dales CD L		
3	10/28	Tawas Point SP, lo	RW	
2	11/4	Au Gres RM, Ar	RW	
1	11/16	Tawas Point SP, lo	GN, BB	
2	11/30	Tawas Point SP, Io	GN	
Northern Saw	-whet Owl	Shiawassee NWR, Sa	DP	
1	11/12	Tawas Point SP, lo	014 -	
Common Night		i amas i olik op, jo	GN, R&MP	
10	9/5	Saginaw, Sa	0.0	
15	9/29	Saginaw, Sa	DP	
Chimney Swift		oughlan, Oz	DP	
1	9/7	Tawas Point SP, Io		
Ruby-throated	Humminabird	ranas i onii SF, io	ВВ	
1	9/25	Sanford Lake, Mi	in.	
Belted Kingfish		- andre Lake, MI	JD	
7	8/10	Shiawassee NWR, Sa	DD.	
1	9/27	Oak Grove, Ba	DP	•
Red-headed Wo	odpecker		JS	Seen through October.
3	8/22	Bay City SP, Ba	DIA!	T 12
_ 1	10/13	GPELC, Sa	RW SD	Two adults and a juv.
Red-bellied Woo	odpecker	•	95	

Noted throug				
Yellow-bellied S		CNC, MI	PK	
,		Barstow Woods, Mi	SR	
	9/23	Chevy Woods, Ba	JS	
,	10/2 10/7	Tawas Point SP, lo	RW,88,SR	
1	10//	Tantas I sink of the	•	
Only reports. Downy Woodper	ckar			
Noted throug				
Hairy Woodpeck				
Noted throug				
Northern Flicker				
	B/4	Shiawassee NWR, Sa	DΡ	
	10/30	Hu	TB	
Noted throug				
Pileated Woodp	•			
	11/7	Shiawassee NWR, Sa	DP	
•	11/26	Green Pt NC, Sa	RW	
Olive-sided Fly	·			
	8 <i>/</i> 27	Wigwam Bay WA (E), Ar	SR, RW	
•	8/30	Shiawassee NWR, Sa	BG	
Eastern Wood F	³ ewee		50	
	8/30	Shiawassee NWR, Sa	BG	
	9/27	Oak Grove, Ba	JS	
Willow Flycatch	er			
No Reports.				
Alder Flycatche	r			
No Reports.				
Least Flycatche	r	<u>-</u>	10	2cd latest ever for SBA.
1	9/27	Chevy Woods, Ba	JS	Zed falest ever for each
Eastern Phoebe	•		BG	
5	8/30	Shiawassee NWR, Sa		
1	10/28	Tawas Point SP, Io	RW	
Great-crested F	lycatcher		JS,GS	
2	9/15	Chevy Woods, Ba	13,63	
Eastern Kingbir	d	- 0-1-4 CD I-	B B	
6	9/7	Tawas Point SP, lo	BB	
1	9/8	Tuttle Marsh WA, lo	ВО	
Horned Lark		Tours Daint CD In	RW	
30	10/28	Tawas Point SP, Io	****	
Noted throu	gh period.			
Purple Martin	0.77	Ва	GP	
200	9/7	Ca		
Tree Swallow	0.00	Nayanquing Pt WA, Ba	EK	
1000	9/2	Shiawassee NWR, Sa	DP	Seen tp.
1100	9/21	Midland, Mi	GZ	•
1	11/4	Shiawassee NWR, Sa	DP	
1	11/6-7	over the Spaulding Drain. New SBA	\ late date!	
An immatur	e bijo seen iotaging Naminand Sumillou	Over the opasions or any		
	h-winged Swallow	Shiawassee NWR, Sa	ŔW	
50	8/19	Shiawassee NWR, Sa	DP	
1	9/23	Chianasco IIII I a		
Bank Swallow				
No Reports				
Cliff Swallow	0.000	Hu	TB	
1 Barn Swallow	9/22	110		
8	8/26	Tawas Point SP, lo	BB	
•	_	Tawas Point SP, lo	Barb Dodge	New SBA late!
Dhan lead	11/3	Tarras / Sink of J.	_	
Blue Jay	4 O / G	Tawas Point SP, lo	88	
125	10/8	Tanas Tomes Tips		
Noted throu	-			
American Grov	v 11/24	Saginaw, Sa	DP	Seen tp.
109 Noted throu		2-3 n		
Noted throu				
Common Rav	11/4	Tawas Point SP, Io	B8	Same day as good hawk flight.
3 It would be	interesting to know	where these birds ended up at the er	nd of the day!	
it would be	interesting to with	16		

(

70	ed Chickadee 9/12 rough period.	Shiawassee NWR, Sa	BG	
Tufted Titmo	ouse 9/12	Shipugasaa NWD O	_	
	rough period.	Shiawassee NWR, Sa	BG	
5 Notable i White-breas	9/24 Invasion year. Not ted Nuthatch	Tawas Point SP, Io ted through period.	SR	
29	9/12 ough period.	Shiawassee NWR, Sa	BG	
6	11/10 ough period.	Shiawassee NWR, Sa	D۶	
No Repor House Wren	rts.			
1 Winter Wren	9/30	Bay City SP, Ba	G&EP	
1 4	9/24	Tawas Point SP, Io	SR	
1	10/7 10/27	Tawas Point SP, lo	BB,RW,SR	
Sedge Wren	10,27	Shiawassee NWR, Sa	DP .	
1 Marsh Wren	8/10	Shiawassee NWR, Sa	DP	
1 Golden-crowr		Shiawassee NWR, Sa	DP	Only report.
1 50	9/24 10/8	Tawas Point SP, Io	SR	
ž	11/10	Oak Grove, Ba Shiawassee NWR, Sa	JS,GS	
Ruby-crowned		Omawassee MVAH, Sa	DP	
1	9/23	Barstow Woods, Mi	SR	
50	10/8	Tawas Point SP, Io	GN	
1 Blue-gray Gna	11/3 steatcher	Tawas Point SP, lo	RW	
1	8/27	Wigues Poul MA (E) A		
Eastern Blueb		Wigwam Bay WA (E), Ar	SR,RW	
17	10/8	Tawas Point SP, lo	BB	
15	11/3	Tawas Point SP, lo	RW,BB	
5 Vacani	11/12	Tawas Point SP, to	RP	
Veery 1	10/0	21:		
Bob had ma	10/2 any generous look	Shiawassee NWR, Sa	BG	New SBA late!
Gray-cheeked	Thrush	is at this one.		
No Reports	i.			
Swainson's Th				
1	9/8	Tawas Point SP, lo	BB	
3 1	9/18	Mi	RW	
Hermit Thrush	9/29	CNC Wetlands, Mi	RW	
1	9/8	CNC, Mi	514	
5	10/8	Oak Grove, Ba	PK 10.00	
4	11/24	Tawas Point SP, to	JS,GS	
American Robin	Tì .		88	
50	10/16	CNC, Mi	JS,GS	
4 Cray Crabin	11/17	Shiawassee NWR, Sa	DP	
Gray Catbird 3	0/10	011		
1	9/19 10/20	Shiawassee NWR, Sa	BG	
Brown Thrashe		Chevy Woods, Ba	JS	
2	, 11/12	Tawas Point CD In		_
American Pipit	<u>-</u>	Tawas Point SP, Io	RP	Rare November record.
	9/19	Dow Ponds, Mi	RW	
	10/28	Tawas Point SP, lo	RW	
	11/4	Tawas Point SP, Io	BB	
Bohemian Wax 30	wing 10/21	Wenonah Park, Ba	JS	

14	11/28	CNC, Mi	JL,PS	
Cedar Waxwing 15	9/4	CNC, Mi	PK, JL	
Noted throug Northern Shrike				
	10/28	Tawas Point SP, lo	RW	
	11/12	Tawas Point SP, Io	GN, R&MP	
_	11/30	Hu	ТВ	
European Starli			CVII	
4000	11/14	Saginaw R, Ba	RW	
Flying uprive	r to the Karn Plant	at dusk. New SBA high!		
Solitary Vireo			GZ	Flew into window.
1	10/8	Midland, Mi	GZ	I left title timee
Yellow-throated	Vireo	OU: NIND Co	DP	
1	9/11	Shiawassee NWR, Sa	D1	
Warbling Vireo	• "	Oak Grove, Ba	JS	
2	9/1	Car Giove, Da		
Philadelphia Vir				
No Reports.				
Red-eyed Vired	, 9/27	Waterworks Park, Mi	RW	
Galden-winged				
1	9/8	Tawas Point SP, Io	BB	
Tennessee Wa			DD.	
1	9/8	Tawas Point SP, lo	BB	
2	9/18	Waterworks Park, Mi	RW	
1	10/1	Finn Road, Ba	JS,GS	
Orange-crowns	ed Warbler	- A D	EK	Very early.
1	9/22	Midland, Mi	LIV	,
Nashville Warb		Waterworks Park, Mi	RW	
1	10/2	Waterworks (aik, iai	••••	
Northern Parul		Tawas Point SP, lo	G&TN	
1 Yellow Warble	9/17	Tanda Form of The		
2	8/26	Tawas Point SP, Io	BB	
Chestnut-sided				
2	9/18	Wenonah Park, Ba	JS	
Magnolia Warl	oler		DΩ	
ĭ	8/25	Rollways Rd, lo	BB RW	
3	9/18	Waterworks Park, Mi	JS,GS	
1	10/8	Wenonah Park, Ba	00,00	
Cape May Wa		Tuttle Marsh WA, lo	88	
1	9/8	Hampton Twp	DD	
1 Black-throated	9/29 L Blue Warbler	Hampion 144		
1	9/16	Shlawassee NWR, Sa	DD	
1	10/1	Tawas Point SP, lo	SR, RW	
1	10/6	Midland, Mi	RA	
i	10/6	Bay City SP, Ba	JS	
1	10/7	Tawas Point SP, Io	RW,SR,88	
Yellow-rumpe		~ 6::00:	SR	First noted at a migrant trap.
5	9/24	Tawas Point SP, Io	an RW	Files decay as a mid-
100	10/28	Tawas Point SP, lo	BB	
_ 4	11/4	Tawas Point SP, lo	55	
	d Green Warbler	Tawas Point SP, lo	BB	
1 -	9/7	Barstow Woods, Mi	SR	
5 1	9/23 10/8	Oak Grove, Ba	J\$,G \$	
Blackburnian				
1	8/25	Rollways Rd, lo	B8	
1	8/28	CNC, Mi	PK	
i	9/1	Oak Grove, Ba	JS	
Pine Warbler			88	
1	8/25	Rollways Rd, lo	po	
Palm Warble		Tauras Baint SD Ja	88	
1	9/7	Tawas Point SP, Io Tawas Point SP, Io	RW,SR	
10	10/7	Tawas Point SP, lo	ВВ	
1	10/8	(artas) on to the		
			18	

Į

Bay-breas	ted Warbler			
Í	9/16	Shiawassee NWR, Sa	DD	
4	9/18	Waterworks Park, Mi	RW	
1	10/1	Finn Road, Ba	GS	
Blackpoll V	Narbler			
1	8/28	CNC, Mi	PK	
3	9/7-8	Tawas Point SP, Io	BB	
1	10/1	Finn Road, Ba	JS,GS	
Cerulean \	Warbler			
No Rep	orts.			
Black-and-	white Warbler			
1	9/27	Chevy Woods, Ba	JS	
American	Redstart	•		
1	9 <i>1</i> 27	Chevy Woods, Ba	JS	
Feature	e bird winner (Ron	ran out of time to include the usual	expanded feature bi	ird section but notes the winter feature bird
is the la	ast Bohemian Waxv	ving).	•	
	ary Warbler			
No Rep				
Ovenbird				
1	9/8	Tuttle Marsh WA, lo	88	
•	Vaterthrush			
No Rep				
	Waterthrush			
No Rep				
	ellowthroat			
1	11/5	Whiskey Harbor, Hu	DP	
Wilson's W		771110110) 1 101001, 110	٥.	
3	9/1	Oak Grove, Ba	JS	
Canada W		San Slove, Bu	•••	
1	9/1	Oak Grove, Ba	JS	
Scarlet Tai		Cak Giora, Da	•••	
17	9/8	Shiawassee NWR, Sa	BG	
1	11/11	Bangor Twp, Ba	JG	Very late!
		tanger 147, 64 tangger carefully as Summer Tan		Il north of their range in winter; these
eighting	is are often of birds	at fooders!	agers can cosar tre	in notify of these range at miner; and
Northern C		at leedels:		
9	11/17	Shiawassee NWR, Sa	DP	
_	hrough period.	Omanassos ittiti, Ga	Δ1	
	sted Grosbeak			
3	8/25	Shiawassee NWR, Sa	BB	
1	9/27	Chevy Woods, Ba	JS	
Indige Bun		chery troccs, ba	00	
10	10/21	Tawas Point SP, lo	BB,RW	
	led Towhee	Tanas Tonk Or, is	20,1111	
1	10/28	Baldwin Twp, Io	RW	
	Tree Sparrow	Dalowiii (WP) 10	****	
1	10/20	Chevy Woods, Ba	JS	
100	11/30	Shiawassee NWR, Sa	DP	
Chipping S		Office (days of the first of th	0,	
1	10/25	Wenonah Park, Ba	JS	
Field Span		rrenonari ant, ba	•••	
No Rep				
Vesper Sp				
4 esper Sp	10/11	Shiawassee NWR, Sa	DP	Singing!
Cauppash		Offiawa5566 11111, 0a	D1	Olingung:
Savannah t	9/27	Hu	ТВ	Very few reported this fall,
•		110	טו	very lew reported this land
	er Sparrow			
No Rep				
Henslow's				
No Rep				
Fox Sparro		hatalana a hat	ray.	
1	10/20	Midland, Mi	EK	One hird was assetu at his satter-
3	10/21	Tawas Point SP, Io	RW	One bird was nearby at his cottage.
5	10/27	Bay City SP, Ba	G&EP	
1	11/4	Midland, Mi	GZ	
	sightings this fall.			
Song Spar	row			

PK

CNC Wetlands, Mi

1	11/30	Hu	ТВ	
Lincoln's Sparro			614	
1	10/1	Waterworks Park, Mi	RW	
	10/20	Chevy Woods, Ba	JS SN SAUS	Ond Intent data!
	11/12	Tawas Point SP, lo	GN, R&MP	2cd latest date!
Swamp Sparrov				N CDA biobl
20	10/7	Tawas Point SP, lo	SR, RW	New SBA high!
1	11/5	Whiskey Harbor, Hu	DP	
White-throated		•	_ +	
4	9/8	Tawas Point SP, lo	BB	
40	9/30	Bay City SP, Ba	G&EP	
	11/24	Tawas Point SP, lo	BB	
1		(Carried) The carried and ca		
White-crowned		Midland, Mi	EK	
2	9/18	Hampton Twp	DD	
27	10/6	Midland, Mi	EK	
27	10/6	Tawas Point SP, lo	B8	
1	11/24	Tawas Follit St , 10		
Dark-eyed Jun		Towns Daiet CD to	8B	
20	10/7	Tawas Point SP, to	JS	
25	11/2	Hampton Twp, Ba	00	
Lapland Longs	pur		DD.	
1	[^] 10/8	Tawas Point SP, to	BB TU MA	
1	10/26	Fish Point WA, Tu	TH,MM	
i	10/28	Tawas Point SP, Io	RW	
3	11/4	Tawas Point SP, lo	BB	
	1 11/7			
Snow Bunting	10/20	Tawas Point SP, lo	GN	
20	10/20	Karn Plant, Ba	JS,GS	
300	11/24	Shiawassee NWR, Sa	DP	
44	11/30	Sillawassee 144414 Ou		
Bobolink		Chinana NMP Sa	BG	New SBA high!
300	8/24	Shiawassee NWR, Sa	24	<u>-</u>
This flock p	present earlier in we	ek.	JS	
2	9/1	Hampton Twp, Ba	5.5	
Red-winged B	lackbird		10	
3000	10/26	Chevy Woods, Ba	JS	
20 min. flye	over. Noted through	mid-Nov in Hampton Twp.		
4	4 4 70 4	HII	ТВ	
100 000 B	lackhird So, were co	unted by RW on 10/30 at the Sagin	aw River Mouth.	
Eastern Mead	laukollu op. Woto oo	2		
		Midland, Mi	RA	
5	10/21	Shiawassee NWR, Sa	DP	
2	11/17	Sillawassee Hill i, od		
Yellow-heade		Nayanquing Pt WA, Ba	RW	New fall high!
32	8/16	rayandung Ft VIA, Da	* /	
Rusty Blackbi		Turne Dates CD to	RW,SR	
8	10/1	Tawas Point SP, lo	BB	
250	10/8	Tawas Point SP, lo	JS	
3	11/13	Essexville, Ba	55	
Common Gra	ckle	<u> </u>	IC.	20 min. flyaver.
30000	10/26	Chevy Woods, Ba	JS	20 111111. 11901011
	ough period.			
Brown-heade				
_	10/29	1724 E. Salzburg Rd, Ba	L&MB	
7 Natad the				
Noted through period.				
Northern Orio		Oak Grove, Ba	JS	Last report.
1	9/1	Oak Giore, bu		
Pine Grosbe		Huron City, Hu	KO	
1	11/4	Huron City, Hu	ED	
2	11/28	Shiawassee NWR, Sa		
Purple Finch		N. 1848 (E3 A.)	RW,SR	
Ì	8/27	Wigwam Bay WA (E), Ar		
1	10/21	1724 E. Salzburg Rd, Ba	L&MB	
i	10/27	Sanford Lake, Mi	JD	
ż	10/28,30	Midland, Mi	RA TR	
1	11/3	Hu	TB	
2	11/17	Shiawassee NWR, Sa	DP	
House Finch			_	Name on A. Kinki Minnorth
190	10/8	Tawas Point SP, Io	BB	New SBA high! Migrants?
		· ·		
Moted (Ut	ough period.			
		20		

Common Re	edpoll			
100	11/12	Tawas Point SP, Io	RP	
3	11/22	Shiawassee NWR, Sa	DP Individ	fuals remaining through end of period.
17,18	11/24,25	Tawas Point SP, to	BB	
2	11/30	Linwood, Ba	G&EP feeder	r birds
Pine Siskin				
4	10/26	Chevy Woods, Ba	JS	
5	10/28	Tawas Point SP, lo	RW	
2	11/11	Midland, Mi	GZ	
American G	oldfinch			
200	11/12	Tawas Point SP, Io	RP	
Noted th	rough period.			
Evening Gro				
8	11/3	Tawas Point SP, Io	88,BD,RW	Also seen the next day.
4	11/4	Chevy Woods, Ba	JS	
175	11/7	Hu	TB	
1	11/15	1724 E. Salzburg Rd, Ba	L&MB	
3	11/17	Shiawassee NWR, Sa	ED	
20	11/29	Hu	TΒ	
House Spar	row			

Exotics

Red-crested Pochard

1 11/4 Haithco Rec Area, SA RW And one later date.

This male was seen on two occasions feeding with Redheads and Scaup.

Corrections From Summer '95

Noted through period.

Tricolored	l Heron				
1	6/20	Nayanquing Pt WA, Ba	LH		
This was a typo as LH saw the bird on 7/20. Thus, the actual first report was from KK and RW:					
1	7/19	Nayanquing Pt WA, Ba	KK, RW		
LeConte's Sparrow					
28	7/5	Dow Ponds, Mi	RW		

These were actually Least Sandpipers. The 4-letter code for Leconte's Sparrow, lesp, was entered accidentally instead of lesa for Least Sandpiper in the SBA database.

Records From Outside The SBA

As a service to SBA birders I will forward sightings from regions in Michigan but outside the SBA to the state compiler along with this newsletter. Please include these on a separate page from your SBA sightings.

OBSERVERS:

Jean Madziar Stan Madziar Mike Mencotti Doug McWhirter Kip Miller
Mary Ellen Miller Sandy Miner Joe Natzik many observers Karl Overman David Peters Glenn & Ellen Peterson Mike Petruchia Rod & Marlene Planck Jack Reinoehl Paul & Lisa Rassette Lyn Rosenberg Ray Roach Helmut Schreck Lyn Rosenberg Steve Rosenberg Stephen Ross Steve Santner
Jack Reinoehl
Lyn Rosenberg Ray Roach Helmut Schreck Lyn Rosenberg Steve Rosenberg Stephen Ross Steve Santner Mary Shorkey Wendy Skory Janeen Smith Joe Soehnel Grant Soehnel Phil Stephens Dave and Erica Stimac Kevin Thomas Val Trabucchi George Vogel Larry Weeks Ron Weeks Edith Woods Myles Willard
•

ABBREVIATIONS

Ar Arenac County
Ba Bay County

CBC Christmas Bird Count
CNC Chippewa Nature Center

CP County Park

DASRBA Detroit Audubon Society Rare Bird Alert

DDI Diked Disposal Island HCHW Huron County Hawk Watch

Hu Huron County Io Iosco County

MCV Pond Midland Cogeneration Venture Pond

Mi Midland County

NAMC North American Migration count

NC Nature Center

NWR National Wildlife Refuge
Sa Saginaw County
SBA Saginaw Bay Area
SGA State Game Area
SL Sewage Lagoons

SE Sewage Lagoor
SP State Park
tp through period
Tu Tuscola County
Twp Township
WA Wildlife Area

VERIFICATION OF RARE OR RECORD SIGHTINGS:

Rare or record sightings should be documented in order to guarantee inclusion in the SBA permanent record or for acceptance at the state level. Documentation refers to a description of the observed field marks that led to the identification and uniquely describes that species. Undocumented sightings may be noted as such in the newsletter, by an asterisk.* It is in your hands to know when a sighting requires documentation and to provide it. In addition birds that are not unusual but provide an extreme identification challenge (especially when not vocalizing) should be documented. I have no control over the state compiler or other users of these records but can predict that failure to include documentation for a rare or record sighting will almost guarantee it's omission from Michigan Birds and most other publications. To help you decide whether a sighting requires documentation please refer to the accepted standard reference "Birds and Bird Finding in the Saginaw Bay Area" by Ron Weeks. This is available at the Chippewa Nature Center, ABA sales or directly from Ron. A rare or record sighting is defined as any occurrence outside of the dashed or solid lines in Ron's book. New peak counts should be documented to let me know if you gave a careful count or just estimated roughly. For birds with <20 known sightings all occurrences should be documented. I always highlight exceptional sightings in the newsletter with a remark such as, New Peak Count! or New Spring Early!, so if you haven't already provided information on the sighting please do so once you receive the newsletter. For information on how to provide proper documentation please contact me (often a phone conversation is sufficient).

WEATHER FEATURE:

The Midland Barstow Airport no longer records weather data on weekends. Therefore, I have opted to omit the weather graphs for the fall period owing to incomplete data. Hopefully it will be possible to include weather graphs in future newsletters.