

BIRDS IN THE SAGINAW BAY AREA

June 1-July 31, 1994

Compiled by:

Ron Weeks

4111 Robinhood Terrace Midland, MI 48642

(517) 835-1939

Steve Rosenberg 25 Rosemary Court

Midland, MI 48640 (517) 631-7666

Summary:

This summer suffered from a lack of enthusiasm among the area's birders. Most of the normal hard core birders were well-distracted with personal commitments resulting in less than typical coverage of the SBA. None-the-less a few good birds were spotted.

Water birds were down from last summer's amazing variety, but five Common Loon reports were above average. Other goodies included a Horned Grebe from Bay City SP, a White Pelican from Shiawassee, Snowy Egrets from Nayanquing and Shiawassee, and most notably two immature Little Blue Herons, one each from Nayanquing and the Chippewa NC Wetlands. Notable waterfowl were highlighted by a male Bufflehead that spent July at largo Springs. Other good reports included a Tundra Swan and 460 adult Wood Ducks from Fish Point, 67 Green-winged Teal from Shiawassee, and 20 American Wigeon from Nayanquing.

Raptor highlights included no less than 5 Osprey sightings, a summer record 8 Bald Eagles from Shiawassee, and a Sharp-shinned Hawk from Fish Point on the odd date of July 18th. A two-day census of marsh birds in mid-June turned up an impressive 35 Virginia Rails. Shorebirds were good where there was habitat. That ended up being Shiawassee and the sludged-in south end at the Dow Ponds. Shiawassee shorebirds included a trio of mid-June unexpecteds that included a Lesser Yellowlegs (June 3rd-22nd), a Solitary Sandpiper (June 15th), and a Dunlin (June 22nd). The Dow Ponds hosted a up to 300 shorebirds through July including summer record highs of 21 Semipalmated Plovers, 53 Spotted Sandpipers, and 7 Baird's Sandpipers (all adults). No "big" shorebirds were reported this summer.

Notable passerines were few as no one was out looking for early June stragglers or the late July push of warblers. Interesting residents reported included Black-throated Blue Warblers from Shiawassee and the Au Sable River area, Blackburnian Warbler also from the Au Sable, Kirtland's Warblers at Mead Road near Oscoda, Henslow's Sparrow from Alabaster, Dark-eyed Juncos from three losco locations, and Evening Grosbeaks from Loud Dam Pond Road. Impressive summer counts included an early flock of 2500 Tree Swallows from Nayanquing, 20 Sedge Wrens from Nayanquing, 50 Marsh Wrens at Shiawassee, and a record 11 Prothonotary Warblers from Shiawassee.

Overall, it was hard to make any general statements about numbers due to the lack of field time. The "missed" list was long and included such summer regulars as Red-breasted Merganser, Ruddy Turnstone, and Eastern Screech Owl. None-the-less a respectable 187 species were reported for the period.

REPORTS

COMMON LOON: RW, BB Tawas Pt, Io 6/4, 7/1 Bay City SP, Ba JGi 6/11 RR et al Midland, Mi 6/25 This one stranded itself on a wet tennis court at the Midland Community Tennis Center! Flying over Cooke Dam Pond. largo Springs, lo BB 7/31 Also reported from 6/8-10 from Alabaster Twp, Io (PC). PIED-BILLED GREBE: Reported from Tuttle Marsh, Io (BB, RW); Nayanquing Pt, Ba; Chippewa NC, Mi (adult w/young-PK); Coleman, Mi (RA); Fish Pt, Tu (peak of 15 on 7/20-MW); and Shiawassee NWR, Sa (8 on 6/9-DP). HORNED GREBE: Few summer records. JGi Bay City SP, Ba 6/6 AMERICAN WHITE PELICAN: Regular of late. Shiawassee NWR, Sa DP 6/9 DOUBLE-CRESTED CORMORANT: RW Tawas Pt, Io 8 6/3 DP Noted to there. Shiawassee NWR, Sa 7/28 30 Scattered sightings elsewhere. Numbers continue to increase. AMERICAN BITTERN: Noted there through period. Navanguing Pt, Ba 6/4 Also noted from Tuttle Marsh, Io (RW, BB). LEAST BITTERN: Shiawassee NWR, Sa DP, RW Also noted from Nayanquing Pt, Ba (PC). GREAT BLUE HERON: Fairly common through period. Peak of 192 on 7/28 at Shiawassee NWR, Sa (DP). GREAT EGRET: Noted through period with peaks of 5 on 7/1 at Tuttle Marsh, lo (BB); 39 on 6/17 at Nayanquing Pt, Ba (JGi, JR); and 74 on 7/28 at Shiawassee NWR, Sa (DP). Also noted from CNC Wetlands, Mi (PS). SNOWY EGRET: Nayanquing Pt, Ba 3 6/17 Shiawassee NWR, Sa DP, BG, MW Few June records to date. 6/30-7/21 LITTLE BLUE HERON: MW, JS et al Nayanquing Pt, Ba 1 im 7/20-24 PS, RW, G&JS 7/23-30 CNC Wetlands, Mi 1 im These birds represent the 12th and 13th SBA records. The CNC bird is only the second Mi record. CATTLE EGRET: [No reports.] GREEN-BACKED HERON: New high count! Shiawassee NWR, Sa DP 7/28 13 Port Crescent SP, Ba Flying in formation. ME 6/4 Also reported from the usual locations. More evident than earlier this spring. BLACK-CROWNED NIGHT HERON: Reported from Alabaster Twp, Io (PC); Nayanquing Pt, Ba (8 on 7/20-MW); Karn Plant, Ba (8 tp-JS); Dow Dam, Mi (RW); Shiawassee NWR, Sa (DP); and Port Crescent SP, Hu (ME). TUNDRA SWAN: Tom Beachy reported 8 into early June. He had not eliminated Trumpeter yet. Never heard back if on whether he rechecked. They were likely Tundras, but this is a large number to linger so late. 6/14,7/20 Fish Pt, Tu MW MUTE SWAN: Dow Ponds, Mi RW through period Nested at Nayanquing Pt, Ba (RW, JGi et al). Also reported from Sumac Is, Hu (MW). CANADA GOOSE: Common through period. Peak of 246 on 6/3 at Shiawassee NWR, Sa (DP). WOOD DUCK: More common than usual this summer. Peak of 460 on 6/14 at Fish Pt, Tu (MW). This represents a new SBA high count. Amazing considering these were all adults. **GREEN-WINGED TEAL:** Peak of 67 on 6/22 at Shiawassee NWR, Sa (DP). Also noted from Tawas Pt, Io (7/1-BB); Tuttle Marsh, Io (BB), Alabaster Twp, Io (PC); Karn Plant, Ba (RW, MW); and Nayanquing Pt, Ba (RW, KK). AMERICAN BLACK DUCK: Noted from Nayanquing Pt, Ba; Dow Ponds, Mi (RW); and Shiawassee NWR, Sa (tp-DP). MALLARD:

图

```
Common through period. Peaks of 681 on 7/14 at Shiawassee NWR, Sa (DP) and 500 on 6/14 at Fish Pt, Tu (MW).
NORTHERN PINTAIL:
               6/20
                                 Finn Road, Ba
                                                           JS.
                                                                             Only report.
BLUE-WINGED TEAL:
   Fairly common through period. Peak of only 19 on 6/22 at Shiawassee NWR, Sa (DP).
NORTHERN SHOVELER:
   5
               6/3
                                 Nayanquing Pt, Ba
                                                           RW
                                                                             Not seen after June.
               6/6
                                 Freeland SL, Sa
                                                           RW
GADWALL:
   Noted through period at Nayanquing Pt, Ba (RW et al).
AMERICAN WIGEON:
   Peak of 20 on 7/20 at Nayanquing Pt, Ba (MW). Smaller numbers in June.
CANVASBACK:
   1 male
                                 Nayanguing Pt, Ba
   1 fem
               7/30-31
                                 Karn Plant, Ba
                                                           RW. KK
REDHEAD:
   Scattered sightings through period. Peak of 14 on Fish Pt, Tu on 6/14 (MW).
RING-NECKED DUCK:
   [No reports.]
LESSER SCAUP:
               6/3, 7/30
                                 Nayanquing Pt, Ba
                                                                             Not noted between dates.
BUFFLEHEAD:
   1 male
              7/3 tp
                                 largo Springs, lo
                                                          RW. J&GS. BB
                                                                             Only 2nd July record!
HOODED MERGANSER:
   Nested at largo Springs, lo (fem w/ 2 young on 7/3-RW); CNC, Mi (see spring survey); and at Shiawassee NWR,
   Sa (fem w/10 young on 7/1-BG). Also noted from Nayanquing Pt, Ba (MW).
COMMON MERGANSER:
   [No reports!]
RED-BREASTED MERGANSER:
   [No reports!]
RUDDY DUCK:
   2
                                 Dow Ponds, Mi
                                                          RW. SR
   1
              6/6
                                 Freeland SL, Sa
                                                          RW
              7/21
                                 Shiawassee, Sa
                                                          DP
   Two pair noted on 7/18 at Fish Pt, Tu (MW).
TURKEY VULTURE:
   Common through period.
OSPREY:
              6/30-7/7
                                 Shiawassee NWR, Sa
                                                          DP
              7/3
                                 largo Springs, lo
                                                          GS
                                                                             With a fish.
                                 Bay City SP, Ba
              7/20
                                                          MW
              7/30
                                 Nayanguing Pt. Ba
                                                          RW
              7/31
                                 Karn Plant, Ba
                                                          J&GS
                                                                             Same bird?
   Were these all post-breeding wanderers?
BALD EAGLE:
   Noted from Shiawassee NWR, Sa (peak of 8 on 6/15 & 6/22, one fledgling-DP); Oak Grove, Ba (4 adults tp-JS);
   and Eagle Bay, Grindstone City, & Port Austin, Hu (DE, ME). The count of 8 is a new SBA summer high.
NORTHERN HARRIER:
   Noted tp in numerous locations. Seen in lo, Mi, and Sa.
SHARP-SHINNED HAWK:
  1
              6/4
                                 Port Crescent SP, Hu
                                                          MF
                                                                             Late migrant.
              7/18
                                 Fish Pt, Tu
                                                          MW
                                                                             Odd time for Fish Pt.
COOPER'S HAWK:
  Scattered sightings through period.
NORTHERN GOSHAWK:
  [No reports.]
RED-SHOULDERED HAWK:
   Noted from largo Springs, lo (RW, BB) and M-30/US-10 & Midland, Mi (ME, RA).
BROAD-WINGED HAWK:
              6/4
                                 Port Crescent SP, Hu
                                                          ME
                                                                            Late migrant.
  Also from Midland, Mi (RA) and Grat-Sag SGA, Sa (SR).
RED-TAILED HAWK:
  Regular sightings through period. Peak of 7 on 7/14 at Dow Corning, Ba (RA).
AMERICAN KESTREL:
  Noted through period.
```



Noted through period. Ninety noted from BBS in Tu & Sanilac (MW). RUFFED GROUSE: Only reports from Tu (MW). Hard to find in summer. WILD TURKEY: Reported from Io, Mi, Tu, and Hu (first Port Crescent breeding-ME) NORTHERN BOBWHITE: Reported from Nayanquing Pt, Ba (7/21-RW, SR); Hampton Twp, Ba (JS); Dow Corning, Ba (RA); Shiawassee NWR, Sa (RW, DP); Tu BBS (16-MW). A few survived the winter. VIRGINIA RAIL: DP, RW, BG Shiawassee NWR, Sa 35 This was a two-day count covering two areas of the refuge. A new SBA high! Also noted from Baldwin Twp, Io (RW) and Hampton Twp & Nayanquing Pt, Ba (JS, KK) SORA: Noted from Shiawassee NWR, Sa on several dates (DP, BG). COMMON MOORHEN: Noted from Nayanquing Pt, Ba (young reported) and Shiawassee NWR, Sa. Broods were noted in early August at Tuttle Marsh, Io (BB). This represents a new breeding record for Io. AMERICAN COOT: Noted from Nayanquing Pt & Karn Plant, Ba and Shiawassee NWR. SANDHILL CRANE: Noted from Alabaster Twp, Io (PC). BLACK-BELLIED PLOVER: Nayanquing Pt, Ba RW JGi 6/9 Bay City SP, Ba Only fifth July record. Tawas Pt, Io RW 7/23 RW, TW, EG Dow Ponds, Mi 7/28 SEMIPALMATED PLOVER: Last spring migrant. RW Navanguing Pt, Ba 6/3 First fall migrant. RW Dow Ponds, Mi 7/18 2 New SBA summer peak! RW Dow Ponds, Mi 7/30 21 PIPING PLOVER: (No reports.) KILLDEER: Common through period. Peak of 26 on 6/22 at Shiawassee NWR, Sa (DP). **GREATER YELLOWLEGS:** Shiawassee NWR, Sa 7/28 J&GS Karn Plant, Ba 7/31 LESSER YELLOWLEGS: Shiawassee NWR, Sa DP 6/3-6/21 DP First returnees. Shiawassee NWR, Sa 3 7/14 Shiawassee NWR, Sa DP 87 7/28 Dow Ponds, Mi RW 7/29 53 SOLITARY SANDPIPER: DP. BG Shiawassee NWR, Sa 6/15 This represents only 2nd early June record. Shiawassee NWR, Sa DP 7/21 SPOTTED SANDPIPER: Common through period. Peak of 53 on 7/18 at Dow Ponds, Mi (RW). New SBA peak count! **UPLAND SANDPIPER:** Noted only from Davison Road, Io on 7/3 (RW) and Wallace Road, Hu (MA). WHIMBREL: [No reports.] HUDSONIAN GODWIT: [No reports.] MARBLED GODWIT: [No reports.] RUDDY TURNSTONE: [No reports.] I even checked Bay City and Tawas during the first week of June. **RED KNOT:** [No reports.] SANDERLING: Oak Beach, Hu ME 6/7 6 New SBA spring late! Oak Beach, Hu ME 10 6/19 Less common inland. RW, SR Dow Ponds, Mi 6 7/20



RING-NECKED PHEASANT:

Summer 1994

			DW	
2	7/31	Tawas Pt, Io	RW	
	TED SANDPIPER: 6/1	Dow Ponds, Mi	RW, SR	
150 5	6/6	Dow Ponds, Mi	RW	
6	7/16	Dow Ponds, Mi	RW	
50	7/10	Shiawassee NWR, Sa	DP	
First iuven	iles noted on the last	few days of July at Dow Po	onds, Mi (RW).	
LEAST SAND				
5	7/7	Shiawassee NWR, Sa	DP	
30	7/30	Dow Ponds, Mi	RW	
First juven	iles noted on 7/27 at	Dow Ponds, Mi (RW).	•	
	PED SANDPIPER:	D. D. H. Aff	DW CD	
10	6/1	Dow Ponds, Mi	RW, SR RW	
1	6/6	Dow Ponds, Mi	LIAA	
	SANDPIPER: 7/27	Dow Ponds, Mi	RW	All appeared to be adults!
7 1 inv	7/29	Dow Ponds, Mi	RW	Very early juvenile.
1 juv	"hinmage" at Dow for	med into perfect Baird's hat	oitat. Most of these b	irds were present the period. The
total of 7 is	a new SRA summer	high count and an impress	ive adult total for any	time of year.
PECTORAL S		mg. occur and an improve	2	
5	7/16	Dow Ponds, Mi	RW	* * * *
55	7/29	Dow Ponds, Mi	RW	Peak.
DUNLIN:				
10	6/1	Dow Ponds, Mi	RW, SR	
1	6/6	Dow Ponds, Mi	RW	I and someth
1	6/22	Shiawassee NWR, Sa	DP	Last report.
STILT SAND		Ohiomana NIME Co	DP	
12	7/28	Shiawassee NWR, Sa	J&GS	
1	7/31	Karn Plant, Ba	Jaco	
	ED DOWITCHER: 7/7	Shiawassee NWR, Sa	DP	
8 77	7/28	Shiawassee NWR, Sa	DP	¥
COMMON SI		omanassos i i i i i i i i i i i i i i i i i i		
Scattered	I sightings through pe	riod. Reported from Alabas	ster Twp, Io (RW); Tu	ittle Marsh, lo (4 on 7/1-BB);
Navangui	ing Pt. Ba (6 on 7/208	21-MW, JS); and Shiawass	ee NWR, Sa (3 on 7/	28-DP).
	WOODCOCK:	- at-s		*
Scattered	sightings through pe	eriod.		
WILSON'S P	HALAROPE:			T 7/07
1-2 juv	7/18-29	Dow Ponds, Mi	RW	Two on 7/27.
	ED PHALAROPE	:		
[No repo				
BONAPART	E'S GULL:	was Bt. Is with a peak of 40	on 7/23 (RMA) Small	numbers reported elsewhere in late
	through period at Ta	was Ft, 10 with a peak of 40	011 7725 (1144). Oman	mambala reported discommercial
July. RING-BILLE	D CHILL:			
Common	through period. No l	arge counts noted.		
HERRING G		a.go ood		· ·
Common	through period. No I	arge counts reported		
GREAT BLA		arge courts reported.		
1	CK-BACKED GULL:	arge counts reported.	8	
	CK-BACKED GULL: 6/12	Nayanquing Pt, Ba	KK, RW	3rd summer bird.
	CK-BACKED GULL: 6/12 orted through period a	Nayanquing Pt, Ba	KK, RW	3rd summer bird.
COMMONIT	CK-BACKED GULL: 6/12 orted through period a	Nayanquing Pt, Ba tt Tawas Pt, Io (RW).		
COMMON T	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt. In through	Nayanquing Pt, Ba tt Tawas Pt, Io (RW).	from the Saginaw Riv	ver, Ba (JS); Dow Ponds, Mi (50-60
COMMON To A few at present to	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road,	Nayanquing Pt, Ba tt Tawas Pt, Io (RW).	from the Saginaw Riv	
COMMON TO A few at of present to CASPIAN TO	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN:	Nayanquing Pt, Ba It Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland	from the Saginaw Ris, Mi (PK et al); and S	ver, Ba (JS); Dow Ponds, Mi (50-60 ⁻ Shiawassee NWR, Sa (DP).
COMMON TO A few at of present to CASPIAN TO Signtings	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN:	Nayanquing Pt, Ba It Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs. Io	from the Saginaw Ris, Mi (PK et al); and S	ver, Ba (JS); Dow Ponds, Mi (50-60 - Shiawassee NWR, Sa (DP). eported in Midland from the Dow
COMMON TO A few at present to CASPIAN TO Sightings Ponds (F	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Through	Nayanquing Pt, Ba It Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland	from the Saginaw Ris, Mi (PK et al); and S	ver, Ba (JS); Dow Ponds, Mi (50-60 - Shiawassee NWR, Sa (DP). eported in Midland from the Dow
COMMON TO A few at of present to CASPIAN TO Sightings Ponds (F Shiawas	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Thro RW, SR) and CNC We see NWR, Sa (DP).	Nayanquing Pt, Ba at Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs, Io etlands (PK). Peaks of 32 o	from the Saginaw Ris, Mi (PK et al); and Son 7/3 (RW). Also ren 7/31 at Karn Plant,	ver, Ba (JS); Dow Ponds, Mi (50-60 - Shiawassee NWR, Sa (DP). eported in Midland from the Dow
COMMON TO A few at of present to CASPIAN TO Sightings Ponds (F Shiawas	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Thro RW, SR) and CNC We see NWR, Sa (DP).	Nayanquing Pt, Ba at Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs, Io etlands (PK). Peaks of 32 o	from the Saginaw Ris, Mi (PK et al); and Son 7/3 (RW). Also ren 7/31 at Karn Plant,	ver, Ba (JS); Dow Ponds, Mi (50-60 - Shiawassee NWR, Sa (DP). eported in Midland from the Dow
COMMON TO A few at a present to CASPIAN TO Sightings Ponds (FOUNTED SHIEWAS) FORSTER'S Common	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Through RW, SR) and CNC We see NWR, Sa (DP). TERN: of through period. Pea	Nayanquing Pt, Ba at Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs, Io atlands (PK). Peaks of 32 o	from the Saginaw Ris, Mi (PK et al); and Son 7/3 (RW). Also ren 7/31 at Karn Plant, Fu (MW).	ver, Ba (JS); Dow Ponds, Mi (50-60 - Shiawassee NWR, Sa (DP). eported in Midland from the Dow
COMMON TO A few at a present to CASPIAN TO Sightings Ponds (F. Shiawas: FORSTER'S Common BLACK TEF Noted th	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Through RW, SR) and CNC We see NWR, Sa (DP). TERN: of through period. Pea RN: rough period. Repor	Nayanquing Pt, Ba at Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs, Io etlands (PK). Peaks of 32 o	from the Saginaw Ris, Mi (PK et al); and Son 7/3 (RW). Also ren 7/31 at Karn Plant, Fu (MW).	ver, Ba (JS); Dow Ponds, Mi (50-60 - Shiawassee NWR, Sa (DP). eported in Midland from the Dow
COMMON TO A few at a present to CASPIAN TO Sightings Ponds (F. Shiawas: FORSTER'S Common BLACK TEF Noted the BOCK DOV	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Through RW, SR) and CNC We see NWR, Sa (DP). TERN: n through period. Pea RN: rough period. Repor	Nayanquing Pt, Ba at Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs, Io atlands (PK). Peaks of 32 of alk of 26 on 7/20 at Fish Pt, T ted from the usual nesting I	from the Saginaw Rives, Mi (PK et al); and Second 7/3 (RW). Also ren 7/31 at Karn Plant, Fu (MW).	ver, Ba (JS); Dow Ponds, Mi (50-60 Shiawassee NWR, Sa (DP). eported in Midland from the Dow Ba (JS) and 38 on 7/28 at
COMMON TO A few at a present to CASPIAN TO Sightings Ponds (F. Shiawas: FORSTER'S Common BLACK TEF Noted the ROCK DOV Common	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Through RW, SR) and CNC We see NWR, Sa (DP). TERN: through period. Pea RN: rough period. Repor E: through period. Up	Nayanquing Pt, Ba at Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs, Io atlands (PK). Peaks of 32 o	from the Saginaw Rives, Mi (PK et al); and Second 7/3 (RW). Also ren 7/31 at Karn Plant, Fu (MW).	ver, Ba (JS); Dow Ponds, Mi (50-60 Shiawassee NWR, Sa (DP). eported in Midland from the Dow Ba (JS) and 38 on 7/28 at
COMMON TO A few at a present to CASPIAN TO Sightings Ponds (F. Shiawas: FORSTER'S Common BLACK TEF Noted the BOCK DOV	CK-BACKED GULL: 6/12 orted through period a ERN: Tawas Pt, Io through p-RW); Patrick Road, ERN: s through period. Through RW, SR) and CNC We see NWR, Sa (DP). TERN: through period. Pea RN: rough period. Repor E: through period. Up	Nayanquing Pt, Ba at Tawas Pt, Io (RW). period (RW). Also reported Mi (RA); and CNC Wetland ee seen at largo Springs, Io atlands (PK). Peaks of 32 of alk of 26 on 7/20 at Fish Pt, T ted from the usual nesting I	from the Saginaw Rives, Mi (PK et al); and Second 7/3 (RW). Also ren 7/31 at Karn Plant, Fu (MW).	ver, Ba (JS); Dow Ponds, Mi (50-60 Shiawassee NWR, Sa (DP). eported in Midland from the Dow Ba (JS) and 38 on 7/28 at



Common through period. Peak of 62 on 7/21 at Shiawassee NWR, Sa (DP).

BLACK-BILLED CUCKOO:

Reported from Nayanquing Pt, Ba (RW, SR); Shiawassee NWR, Sa (DP, BG); and Caro, Tu (MW).

YELLOW-BILLED CUCKOO:

The only reports were from Shiawassee NWR, Sa (DP, BG).

EASTERN SCREECH OWL:

[No reports.] Probably because no one tried to find one.

GREAT HORNED OWL:

Reported from Alabaster Twp, Io (PC); Nayanquing Pt, Ba (RW, G&EP, JG et al) and Shiawassee NWR, Sa (DP).

BARRED OWL:

The only reports were from Alabaster Twp, Io (PC) and Shiawassee NWR, Sa (DP).

COMMON NIGHTHAWK:

Scattered sightings through period.

WHIP-POOR-WILL:

The only reports were from Alabaster Twp, Io (PC) and Fremont Twp, Tu (MW).

CHIMNEY SWIFT:

Common through period.

RUBY-THROATED HUMMINGBIRD:

Scattered sightings through period.

BELTED KINGFISHER:

Scattered sightings through period. Peak of 1 5 on 7/28 at Shiawassee NWR, Sa (DP). This represents a new SBA high count!

RED-HEADED WOODPECKER:

Reported from Baldwin Twp, Io (RW); Bay City SP, Ba (JGi); Currie Park & near M-18, Mi (RA, RW, SR); Gabel Road, Sa (DP); and Oak Beach, Hu (ME).

RED-BELLIED WOODPECKER:

Scattered sightings through period. Reported north to Alabaster Twp, Io (PC).

YELLOW-BELLIED SAPSUCKER:

Reported from Alabaster Twp (PC), Loud Dam Road (RW), Rollways Road (BB), and Grays Creek (BB), all in Io. DOWNY WOODPECKER:

Common through period.

HAIRY WOODPECKER:

Fairly common through period.

NORTHERN FLICKER:

Common through period.

PILEATED WOODPECKER:

Reported from Alabaster Twp, Io (PC); Rollways Road, Io (BB); and Chippewa NC, Mi (J&GS).

OLIVE-SIDED FLYCATCHER:

[No reports.]

EASTERN WOOD-PEWEE:

Common through period. Peak of 10 on 6/3 at Shiawassee NWR, Sa (DP).

ACADIAN FLYCATCHER:

The only report was of one on 6/4 at Port Crescent SP, Hu (ME).

ALDER FLYCATCHER:

Scattered sightings through period. Migrant still at Tawas Pt, Io on 6/4.

WILLOW FLYCATCHER:

Common through period.

LEAST FLYCATCHER:

Scattered sightings through period.

EASTERN PHOEBE:

Common through period.

GREAT CRESTED FLYCATCHER:

Common through period. Peak of 7 on 6/7 at Shiawassee NWR, Sa (DP). New SBA high count.

EASTERN KINGBIRD:

Common through period. Peak of 9 at Tawas Pt, Io on 7/29 (BB).

HORNED LARK:

Fairly common through period.

PURPLE MARTIN:

Noted from Io, Fraser Twp, Ba (RW); Fish Pt, Tu (MW); and Oak Beach, Hu (ME). Paul Rassette reported about 20-25 nesting pair that produced an average of three successful young per pair at his home in Fraser Twp, Ba. Although four is typical brood, he described this as a very successful year.

TREE SWALLOW:

Common through period. Peak of 2500+ at Nayanquing Pt, Ba (KK, RW). New summer high.

NORTHERN ROUĞH-WINGED SWALLOW:

Scattered sightings through period.



Summer 1994

BANK SWALLOW:

Common through period. Peak of 250 on 7/7 at Karn Plant, Ba (JS).

CLIFF SWALLOW:

Fairly common through period. Up to 20 noted through period at Karn Plant, Ba (JS).

BARN SWALLOW:

Common through period.

BLUE JAY:

Common through period.

AMERICAN CROW:

Common through period.

COMMON RAVEN:

Noted from numerous losco locations south to Tawas Airport. Up to 6 a day between Monument Road and M-65 (BB).

BLACK-CAPPED CHICKADEE:

Common through period.

TUFTED TITMOUSE:

Noted through period.

RED-BREASTED NUTHATCH:

Scattered sightings from losco County.

WHITE-BREASTED NUTHATCH:

Common through period.

BROWN CREEPER:

Reported from Bay City SP, Ba (G&EP) and Shiawassee, NWR, Sa (DP).

CAROLINA WREN:

[No reports.]

HOUSE WREN:

Fairly common through period.

WINTER WREN:

Two reported on 7/2 from Rollways Road, Io (BB). Also reported the Canoe Monument, Io (BB).

SEDGE WREN:

20 6/12

Nayanquing Pt, Ba

RW, KK

Higher numbers were reported from many locations this year.

MARSH WREN:

50 - 6/14

Shiawassee NWR, Sa RW, DP

This was probably a very conservative number. These were all in the north end of the refuge. Also reported from the usual bay locations.

GOLDEN-CRÓWNED KINGLET:

[No reports.] I couldn't find them at largo Springs this summer.

BLUE-GRAY GNATCATCHER:

Small numbers noted through period.

EASTERN BLUEBIRD:

Common through period.

VEERY:

Common through period.

SWAINSON'S THRUSH:

[No reports.]

HERMIT THRUSH:

Found throughout losco County.

WOOD THRUSH:

Noted north to Alabaster Twp (PC) and Powerline Road, lo (BB). Numbers up in Midland County (RW). Peak of 7 noted on 6/7 at Shiawassee NWR, Sa (DP).

AMERICAN ROBIN:

Common through period.

GRAY CATBIRD:

Common through period.

NORTHERN MOCKINGBIRD:

[No reports.]

BROWN THRASHER:

Common through period.

CEDAR WAXWING:

Common through period.

LOGGERHEAD SHRIKE:

[No reports.] Ron Annelin found the only pair in Michigan this year at Rose City in Ogemaw County. See "Sightings Outside the SBA".

EUROPEAN STARLING:



Summer 1994

Common through period. SOLITARY VIREO: The only report was of one singing on 7/23 at Corsair, lo (RW). YELLOW-THROATED VIREO: Reported from Pine Haven, Mi (RW, ME); Shiawassee NWR, Sa (DP); and Port Crescent SP, Hu (ME). WARBLING VIREO: Fairly common through period. RED-EYED VIREO: Fairly common through period. BLUE-WINGED WARBLER: Reported from Pine Haven, Mi (RW); Gratiot-Saginaw SGA, Sa (SR); and Fremont Twp, Tu (MW). GOLDEN-WINGED WARBLER: Reported from Midland BBS (RW, SR) and Gratiot-Saginaw SGA, Sa (SR). TENNESSEE WARBLER: [No reports.] No one was out looking for that late July push of early warblers. NASHVILLE WARBLER: Common through period in losco (RW, BB). One noted at Tawas Pt, lo on 7/23 was likely an early migrant (RW). YELLOW WARBLER: Common through period. Fair numbers at Tawas Pt, Io in late July (RW). CHESTNUT-SIDED WARBLER: Reported from Midland BBS (RW, SR); Alabaster, Io (RW); and Huron County (ME). MAGNOLIA WARBLER: [No reports.] BLACK-THROATED BLUE WARBLER: Shiawassee NWR, Sa DP Late straggler (singing). 6/7 mid June-7/3 Canoe Monument, lo BB, RW Rare breeder in lo. BB 7/17 near largo Springs, lo YELLOW-RUMPED WARBLER: Noted on territory from Chambers, Davison, and Monument Roads in Io (RW, BB). **BLACK-THROATED GREEN WARBLER:** Fairly common in lo. BLACKBURNIAN WARBLER: Reported from the Canoe Monument, lo in mid-June (BB). Few lo records, but probably an annual nester. PINE WARBLER: Common through period in Io (RW, BB). Also reported from Port Crescent Cemetery, Hu (ME). KIRTLAND'S WARBLER: Two singing males noted at the Mead Road location on 6/4 (RW). **BLACKPOLL WARBLER:** [No reports.] CERULEAN WARBLER: RW 2 6/2 Pine Haven, Mi 3 min 6/4 Grat-Sag SGA, Sa SR BLACK-AND-WHITE WARBLER: Noted from several losco locations (RW, BB). AMERICAN REDSTART: Fairly common through period. PROTHONOTARY-WARBLER: 6/22 DP Shiawassee NWR, Sa Seven on 6/30 (MW). Seven males, three females, and one juvenile. A new SBA high count! Some of these were noted into mid-June. Last report I received was of two seen by Bob Grefe there on 7/15. OVENBIRD: Common through period. Six territories reported from Loosemore Road, Hu (ME). NORTHERN WATERTHRUSH: Reported from Alabaster Twp, Io (PC); Canoe Memorial, Io (BB) and Loosemore Road (included one fledgling), Hu (ME). LOUISIANA WATERTHRUSH: 6/2 2 Pine Haven, Mi RW 6/4-7/31 largo Springs, lo RW. BB Annual there. MOURNING WARBLER:

Noted from Alabaster Twp, Io (PC) and Midland BBS (RW, SR) and Pine Haven, Mi (RW) COMMON YELLOWTHROAT:

Common through period.

WILSON'S WARBLER:

[No reports.]

CANADA WARBLER:



[No reports.] SCARLET TANAGER: Common through period in losco (RW, J&GS). Also noted from Shiawassee NWR, Sa (DP); Tobico, Ba (G&EP); and Loosemore Road, Hu (ME). NORTHERN CARDINAL: Common through period. ROSE-BREASTED GROSBEAK: Common through period. INDIGO BUNTING: Common through period. Peak of 7 males on 6/15 at Shiawassee NWR, Sa (DP). **RUFOUS-SIDED TOWHEE:** Fairly common through period. Two adults and four nestlings reported on 6/26 from Oak Grove, Ba (J&GS). CHIPPING SPARROW: Common through period. CLAY-COLORED SPARROW: 6/4, 7/16 Tuttle Marsh area, lo RW, BB 7/2 Tawas Airport, lo RW FIELD SPARROW: Common through period. VESPER SPARROW: Common through period. SAVANNAH SPARROW: Common through period. GRASSHOPPER SPARROW: 2 6/4 Grat-Sag SGA, Sa SR Only report. Also reported through period from Dow Corning, Ba (RA). HENSLOW'S SPARROW: Noted in Alabaster Twp, Io (via PC). SONG SPARROW: Common through period. LINCOLN'S SPARROW: 7/3 Curtis Road, lo RW Traditional location. SWAMP SPARROW: Common through period. WHITE-THROATED SPARROW: Common through period in losco (RW, BB). DARK-EYED JUNCO: Singing males noted from both Davison Road (7/3), Curtis Road (7/3), and Brownell Road (7/23), lo. Even though I'm sure they are annual nesters. These are the first summer reports for this quarterly summary. They were noted from the Michigan Breeding Bird Atlas. Fairly common through period. Only small numbers noted in late July. RED-WINGED BLACKBIRD: Common through period. EASTERN MEADOWLARK: Common through period. WESTERN MEĂDOWLARK: [No reports.] YELLOW-HEADED BLACKBIRD: Reported from Nayanquing Pt, Ba (RW, SR et al) and Oak Grove, Ba (J&GS). BREWER'S BLACKBIRD: 7/2 Tawas Airport, Io RW Local breeder. COMMON GRACKLE: Common through period.

BROWN-HEADED COWBIRD:

Common through period.

ORCHARD ORIOLE:

The pair that built a nest in May at the Rasette's in Fraser Twp, Ba parted ways with the female disappearing according to Paul. The bird then sang in the area for another mate for almost a month. Almost amazingly what Paul believed was a second female mated with the male producing a nest with eggs in early July. Unfortunately, this nest was raided and the eggs destroyed.

NORTHERN ORIOLE:

Common through period.

PURPLE FINCH:

Scattered sightings from Io (RW). Also noted from Fremont Twp, Tu (MW) and Wilderness Arb, Hu (ME).



HOUSE FINCH:

Common through period. AMERICAN GOLDFINCH:

Common through period.

EVENING GROSBEAK:

1-2 6/4

HOUSE SPARROW: Common through period. Loud Dam Road, lo

RW

TOTAL: 188 species

RECORDS FROM OUTSIDE THE SBA

KILLDEER:

70 7/27

Mayville, Lapeer

MW

LOGGERHEAD SHRIKE:

2ad, 2juv @7/20 tp

Rose City, Ogemaw

RA

Seen through 8/16.

OMISSIONS/CORRECTIONS from previous reports

Spring 93-94

-There were two JGs listed in the observer directory. Josh Green should be credited with the Huron County sightings, while Jack Gillespie should have been credited with all other JG sightings. Hereafter, JGr will be Josh Green and JGi will be Jack Gillespie.

-Eastern Wood Pewee listed only the date 5/14. It should have listed they were seen on both NAMC counts.

OBSERVERS:

LA MA	Larry Abrahams Margaret Alyea	JL JLo	Janea Little Jim Lockwood
RA	Ron Annelin	JM	Jean Madziar
MB	Marianne Barrowman	SM	Stan Madziar
TB	Tom Beachy	SMi	Sandy Miner
BB	Bob Bell	mo	many observers
J&JB	Jack & Joanne Bouck	KO	Karl Overman
M&LB	Mary & Lloyd Buzzard	DP	David Peters
AB	Adam Byrne	G&EP	Glenn & Ellen Peterson
H&BC	Hugh & Bonnie Campbell	JR	Jack Reinoehl
KC	Katherine Carothers	RR	Ray Roach
PC	Phil Chu	KQ	Ken Quackenbush
ME	Monica Essenmacher	SR	Steve Rosenberg
CG	Chuck Gartner	SS	Steve Santler
JGr	Josh Green	MS	Mary Shorkey
KK	Kevin Kane	WS	Wendy Skory
PK	Pat Keeler	JS	Joe Soehnel
BK	Bob Kemp	GS	Grant Soehnel
JGi	Jack Gillespie	PS	Phil Stephens
EG	Ed Green (sp?)	DS	Dave Stimac
BG	Bob Grefe	KT	Kevin Thomas
TH	Tom Heatley	VT	Val Trabucchi
JHe	Jeanne Henderson	RW	Ron Weeks
HL&M	Mark & Joanne Hubinger	MW	Myles Willard
KK	Kevin Kane	WM&M	Myles & Marilyn Willard
EK	Eugene Kenaga	BW	Bruce Winchell
CL	Chuck Lentz		

ABBREVIATIONS

ad Ar adult

Ba BCSP Arenac County

Bay County Bay City SP



Summer 1994

Green Point NC **GPNC Huron County** Hu losco County 10 iuvenile iuv MCV Midland Cogeneration Venture Pond (formerly Consumer's Pond) Midland County Mi minimum min NC Nature Center National Wildlife Refuge NWR Saginaw County Sa Saginaw Bay Area SBA Sewage Lagoons SL SP State Park Tu Tuscola County

FALL 1994 FEATURE BIRD:

The fall winner for the earliest and most summer Stilt Sandpipers was Dave Peters. He reported 12 birds from Shiawassee NWR, Sa on July 28th. This is a remarkably late arrival date most likely due to the lack of habitat for shorebirds in early July.

The fall feature bird is another shorebird, Killdeer. This time I'll be looking for peak count and latest sighting. Only once has this species lingered past the fall period.

LATEST FALL/WINTER DATE: 26 December 1966 Bay City CBC, Ba (Kenaga) SUMMER HIGH COUNT: 250 on 16 Sept 1992 LaPorte, Mi (Annelin)

1993 DEPARTURE: 26 October Shiawassee NWR, Sa (Peters)
1992 DEPARTURE: 18 October Hampton Twp, Ba (Soehnel)
1991 DEPARTURE: 8 November Shiawassee NWR, Sa (Peters)
1990 DEPARTURE: 16 November Bay County (Annelin)

1989 DEPARTURE: 9 November Shiawassee NWR, Sa (Peters)

WEATHER FEATURE:

Once again we include the weather for the period. One can find daily highs and lows along with the wind speed and direction, barometric pressure, and precipitation in the last 24 hours. The data was provided by Dave Glesner, assistant manager of Midland's Barstow Airport. The barometric pressure, wind speed and direction were taken at 5:45 PM each day with the exception of a few days during the period when conditions were taken from earlier in the afternoon.

MISCELLANEOUS:

As promised, the NAMC totals from this May have been included.

Also, I gave Janea a copy of the butterflies reported by Monica Essenmacher for Huron County this summer. I really can't handle any more than birds at this point, but if someone is willing to coordinate these sightings and the Nature Center is willing to pay the cost of sending it along...





Summer 1994

194

Summer

Weather

12

Mr. Will

ઝ