BIRDS IN THE SAGINAW BAY AREA

December 1, 1988 through February 28, 1989

Compiler: Terry Walsh

308 Mayfield Lane Midland, MI 48640 517-835-7452

Summary: The mild weather allowed the Saginaw River to stay open unusually late this year. Several thousand Herring Gulis were to be seen all the way into February - usually they have mostly disappeared by early January. An adult Lesser Black-backed Gui. (2nd SBA record) showed up with the huge gull influx at the end of December and luckily stayed around on the river for several weeks. At first it was mainly seen at the Middlegrounds, but later was seen most oiten near the sewage treatment plant. This is one bird we had all been hoping for with the intensive gull-watching on the river these days, and it finally appeared! (Now how about Black-headed and California Gull?) At least 2 Iceland Gulls were also on the river at this time. Besides the gull attractions, a scruffy first-winter male King Elder (3rd SBA record) was quite obliging at the mouth of the river at the Karn Plant. It was seen in a ice-hole for two days, then disappeared and was eventually relocated a couple of weeks later. The presence of open water in January and February led to many unusual records of other ducks such as Shoveler, Wood Duck, scaups etc.

The Snowy Owl proved somewhat elusive at the Karn Plant (perhaps it was on the island a lot of the time?). A Long-eared Owl was found roosting at the Chippewa Nature Center but was only seen for a couple of days. Red-tailed Hawks appeared commoner and a few Rough-legs were around this winter. Winter finches were pretty much non-existent and the dearth of Tree Sparrows was remarkable. With the milder weather, Cedar Waxwings were more noticable, Robins stayed through February in Midland and Carolina Wrens appeared at *two* different feeders in Midland.

SIGHTINGS:

I have incuded Christmas bird count records for species for which I received no other documentation, otherwise CBC records are omitted (Chip Francke has the complete data). Most Saginaw River records refer to the Essexville/Bay City area.

DOUBLE-CRESTED CORMORANT:					
	up to 4	thru 12/17	Karn Plant, Ba	mo	
GREAT SLUE HERON:					
	up to 3	thru 1/13	Karn Plant, Ba	JS,RW	
	TUNDRA S	WAN:		,	
	400	12/10	Sebawaing, Hu	RW	
	150	12/10	Bayport, Hu	RW	
	120	12/13	Pinconning, Ba	G&EP	7 still there on 12/25
MUTE SWAN:					· • • • • • • • • • • • • • • • • • • •
	2	1/8-2/7	Dow Ponds, Mi	RW, KK	
	CANADA C	SOOSE:			
	5000	1/31	Fish Point, Tu	MW	
	3000	2/5	Dow Ponds, Mi	TW	
Higher numbers appear to be wintering locally.					
SNOW GOOSE:					
	5	1/16-2/14	Dow Ponds, Mi	RW,TW	
	1	2/8	Karn Plant, Ba	RW	
	WOOD DU				
	1	2/9	Dow Ponds, Mi	RW	First February SBA record?
					, and a second s

SBA Bird Report [Dec 88 - Feb 89]

```
GREEN-WINGED TEAL:
              12/17
                        Karn Plant, Ba
                                              BCCBC
  AMERICAN BLACK DUCK:
   25 max
             tp
                        Karn Plant, Ba
                                              JS
  20
             2/5
                        Dow Ponds, Mi
                                              TW
  20
              12/7
                        Fish Point, Tu
                                              MW
  MALLARD:
  600
             2/5
                        Dow Ponds, Mi
                                             TW
  NORTHERN PINTAIL:
             1/27
                        Karn Plant, Ba
                                             TW
             2/9
                        Dow Ponds, Mi
                                             RW
  NORTHERN SHOVELER:
             2/9
                        Dow Ponds, Mi
                                             RW
                                                        First February SBA record?
  GADWALL:
                        Karn Plant, Ba
             thru 2/8
                                             JS, RW
             12/30
                        Dow Ponds, Mi
                                             PW
  REDHEAD:
  1-2
             thru 12/17
                       Karn Plant, Ba
                                             RW, JS
  RING-NECKED DUCK:
             12/28
                       Karn Plant, Ba
                                             RW
                                                       Late record.
  GREATER SCAUP:
  1
            2/8-22
                       Karn Plant, Ba
                                             RW, JS
 LESSER SCAUP:
                                                       Unusual in Feb.
            12/28-2/9
                       Karn Plant, Ba
                                             RW, JS
 KING EIDER:
 1 1w male
            1/27-2/22
                       Karn Plant, Ba
                                            TW,CF,mo
 This was only the 3rd SBA record and the first to be seen by a number of observers. It was
 OLDSQUAW:
            12/10
                       Caseville, Hu
                                            RW
 COMMON GOLDENEYE:
 95
            1/2
                       Karn Plant, Ba
                                            JS
 80
            2/5
                       Dow Ponds, Mi
                                            TW
 BUFFLEHEAD:
            1/7-2/8
                       Karn Plant, Ba
                                            RW
 HOODED MERGANSER:
            12/3-2/8
                      Karn Plant, Ba
                                            RW, JS
 COMMON MERGANSER:
 2000 max tp
                      Karn Plant, Ba
 RED-BREASTED MERGANSER:
                                            MW, JS, RW
           tp
                      Karn Plant, Ba
                                            JS
BALD EAGLE:
र लाहा
           1/17
                      Bay City, Ba
                                            RW
2 ad
           1/7
                      Karn Plant, Ba
                                            JS, RW
1 imm
           2/20
                      Karn Plant, Ba
                                            JS
1
           Feb
                      Freeland, Sa
                                           per TW
NORTHERN HARRIER:
                      Midland, Mi
           2/5
                                           JL
SHARP-SHINNED HAWK:
Singles seen occasionally throughout period.
COOPER'S HAWK:
Singles seen regularly throughout period.
NORTHERN GOSHAWK:
           2/11
                      Caro, Tu
                                           MW
RED-SHOULDERED HAWK:
           12/17
                     Bay City, Ba
                                           BCCBC
RED-TAILED HAWK:
Seen frequently through period; perhaps commoner than usual.
```

```
ROUGH-LEGGED HAWK:
           12/20, 1/28, 2/25 Karn Plant, Ba
                                            JS. PD
                                            MW
           2/8
                      Caro, Tu
AMERICAN KESTREL:
Seen often through period, common.
RING-NECKED PHEASANT:
Scattered sightings through period,; almost none in Tu (MW).
RUFFED GROUSE:
Reported from Tu. Mi.
WILD TURKEY:
up to 50
                      Midland, Mi
                                            MH, TW
AMERICAN COOT:
2 - 3
                      Karn Plant, Ba
                                            JS
           tp
COMMON SNIPE:
           1/8
                      near Auburn, Ba
                                            TW
                                                       Unusually late
BONAPARTE'S GULL
Last seen on 12/14 at Karn Plant, Ba (JS).
250
           12/10
                      Karn Plant, Ba
                                            JS
RING-BILLED GULL:
                      Karn Plant, Ba
                                            RW
           2/1
HERRING GULL:
~30,000
           12/28
                      Saginaw River, Ba
                                            RW,CF
Up to ~5000 on the Saginaw River until the 1st week of Feb, rather late for these numbers.
ICELAND GULL:
1 1w
           1/14
                      Saginaw River, Ba
                                            RW, JS
1 1w
                      Saginaw River, Ba
           1/27
                                            TW
1 ad
           2/3
                      Saginaw River, Ba
                                            TW,CF,RW
This species is clearly regular here in January.
LESSER BLACK-BACKED GULL:
1 ad
           12/28-2/3 Saginaw River, Ba
                                            CF, RW, mo
This adult was the 2nd SBA record (and the 2nd in 1988) . Although elusive, it was eventually
seen by many SBA birders.
GREAT BLACK-BACKED GULL:
21
                      Saginaw River, Ba
           12/28
                                            RW
30
           12/30
                      Karn Plant, Ba
                                            JS
                                                       Numbers continue to increase.
           2/1
                      Saginaw River, Ba
                                            RW
GLAUCOUS GULL:
14 max
           12/14-2/3 Saginaw River, Ba
                                            TW, JS, mo
ROCK DOVE:
Common through period.
MOURNING DOVE:
Common through period
           3.31
17
                      Ohipeova NO-MI-
SCREECH OWL:
2 dead
           Feb
                                            MW
                      Reese, Tu
                                                       Road kills.
GREAT HORNED OWL:
Noted through period. On nest on 2/6 in Ba (CF).
SNOWY OWL:
           12/10-2/1
                      Karn Piant, Ba
                                            JS,RW
                                                       Only 1 seen sporadically this year.
           2/5-2/9
                      Dow Ponds, Mi
                                            TW,RW
BARRED OWL:
            12/31
                      Midland, Mi
                                            MCBC
LONG-EARED OWL:
           12/7
                      Chippewa NC, Mi
                                            CF, TW, mo
                                                           Roosting in pines.
BELTED KINGFISHER:
                      Karn Plant, Ba
           tp
                                             JS
            1/31
                      Chippewa NC, Mi
                                            CF
```

Wis ast

```
RED-BELLIED WOODPECKER:
  Present through period.
  DOWNY WOODPECKER:
 Common through period.
 HAIRY WOODPECKER:
 Common through period.
 NORTHERN FLICKER:
 Present through period at Chippewa NC, Mi.
 PILEATED WOODPECKER:
           thru 2/15
                      Sanford, Mi
                                           RW,CF
            Jan/Feb
                      Chippewa NC, Mi
                                           CF
 HORNED LARK:
 Becoming common in February as usual.
 BLUE JAY:
 Common through period.
 AMERICAN CROW.
 Common through period; roost of over 100 in Midland (TW, CF)
 BLACK-CAPPED CHICKADEE:
 Common through period.
 TUFTED TITMOUSE:
 Noted through period.
 RED-BREASTED NUTHATCH:
           12/31
                      Midland, Mi
                                           MCBC
 WHITE-BREASTED NUTHATCH:
 Common through period.
 BROWN CREEPER:
 Noted through period.
 CAROLINA WREN:
           Jan
                     Midland, Mi
                                          GZ
           Jan
                     Midland, Mi
                                          GV
                                                     At two well-separated feeders.
GOLDEN-CROWNED KINGLET:
           12/31
                     Midland, Mi
                                          MCBC
AMERICAN ROBIN:
 1-2
                     Midland, Mi
           tp
                                          TW
2
           2/25
                     Reese, Tu
                                          MW
CEDAR WAXWING:
Noted through period.
NORTHERN SHRIKE:
Noted in Bay, Tuscola and Midland Cos.
STARLING:
Common through period.
NORTHERN CARDINAL:
Common through period.
AMERICAN TREE SPARROW:
Numbers down everywhere (carrying on from last fall).
SONG SPARROW:
           12/31
                     Harbor Beach, Hu
                                          RW
DARK-EYED JUNCO:
Fairly common through period.
SNOW BUNTING:
Common through period.
COMMON GRACKLE:
50
          1/6
                     Essexville, Ba
                                         JS
          thru 2/15
                    Hampton, Ba
                                         JS
BROWN-HEADED COWBIRD:
Through period in Bay City and Essexville (up to 50).
HOUSE FINCH:
Common through period.
```

AMERICAN GOLDFINCH: Common through period. HOUSE SPARROW: Common through period.

TOTAL:

82 SPECIES

OTHER RECORDS OUTSIDE SBA:

OLD SQUAW:

Port Sanilac, Sanilac Co.

RW

GYRFALCON:

1 dk phase 2/11-12

Sault Ste. Marie

RW

BALD EAGLE:

: - m CHAE GULL:

Port Sanilac, Sanilac Co RW

2 27 12/26

ICELAND GULL:

Pound Lebra Clare Ca. KK

St. Clair R., Marysville

SHORT-EARED OWL: 1/17

NW Lapeer Co.

MW

MW

BARRED OWL:

Round Lake, Clare Co. KK 12/8-2/24

PILEATED WOODPECKER:

2/18

12/8

Round Lake, Clare Co. KK

OBSERVERS

PD Phil Davis CF Chip Francke MH Mark Hubinger KK Kevin kane JL Janea Little many observers mo G&EP Glenn & Ellen Peterson

JS Joe Soehnei GV George Vogel TW Terry Walsh P.W Ron Weeks MW Myles Willard

Gall amena 5

ABBREVIATIONS

Ba **Bay County Huron County** Hu Midland County Mi NC Nature Center Sa Saginaw County SBA Saginaw Bay Area

Tu Tuscola County