

BIRDS IN THE SAGINAW BAY AREA

December 1, 1994 - February 28, 1995

Compiled by:

Ron Weeks

4111 Robinhood Terrace Midland, MI 48642

(517) 835-1939

Steve Rosenberg 25 Rosemary Ct. Midland, MI 48640

(517) 631-7666

Summary: This winter season was highlighted by relatively mild weather with the exception of a few cold snaps in January and February. The mild weather in December accounted for an abnormal number of lingering water birds. The most sensational report was of a Thick-billed Murre seen January 27th & 28th from the end of Knight Road just east of Bay City. The only previous state records were part of invasions of this species which occurred in 1896, 1907, and 1950. Less astounding-but still qualifying as major winter rarities-were a Red-throated Loon (12/31) from Tawas Pt, a Ross' Goose (thru 12/8) from Shiawassee, Harlequin Ducks from Oscoda (thru 1/1) and Huron County (12/17), a Gyrfalcon (1/9-10) from Shiawassee, and a Lincoln's Sparrow (12/17) from Midland County.

In general, waterfowl numbers were excellent through December with impressive totals including SBA records for Greater Scaup (8000 from Nayanquing on 12/3) and White-winged Scoter (700 from north of Oscoda on 12/31). New winter high tallies were also recorded for Tundra Swan (3400), Gadwall (54), Oldsquaw (555), and Ruddy Duck (38). Other notable numbers included 7500 Common Mergansers inland at Midland and 1600 Common Goldeneye that overwintered at the Karn Plant. "Good" water birds included a Red-necked Grebe from Tawas and two Common Snipe from Nayanquing.

Raptors numbers were generally good but not outstanding. The best sighting outside of the Gyrfalcon was a Merlin (1/21) seen at Port Crescent SP in the Thumb. Only Rough-legged Hawks were seen in above average numbers. Gamebirds went reported in sparse numbers with the possible exception of Wild Turkeys. No Northern Bobwhites were reported again this winter. Gull numbers were again short of the impressive numbers a few years ago. Lester, the Lesser Black-backed Gull remained at his Bay City SP outpost until ice forced him away on the first of the year. The biggest excitement in mid-January when for some reason good numbers of gulls reappeared on the Saginaw River. The best of the bunch were two adult Iceland Gulls (1/21).

Snowy Owls were far and few between, while Short-eared Owls were seen twice-part of a statewide invasion of this species this winter. Other notables included a Yellow-bellied Sapsucker (12/3) from Tobico, three Pileated Woodpeckers seen at Green Point in Saginaw, several Carolina Wrens from Midland and Saginaw, a Northern Mockingbird (2/28) from Bay City, Yellow-rumped Warblers Ron Tawas and Midland, White-crowned Sparrows from Bay County, and a number of Lapland Longspurs that overwintered at Shiawassee.

It was also a banner winter for Eastern Bluebirds and American Robins with sightings of these two species coming in almost weekly. Noticeably absent were the winter finches with only a couple of Pine Siskins and a single Evening Grosbeak report received. The only exception to this was a group of up to 40 Red Crossbills that spent the latter half of December and the first part of January near largo Springs.

Unreported for the period were Green-winged Teal, Red-shouldered Hawk, Northern Bobwhite, Saw-whet Owl, Red-headed Woodpecker, White-throated Sparrow, Eastern Meadowlark, and Common Redpoll.

RED-THROA	ATED LOON:			e.
1	12/31	Tawas Point SP, Io	RW, SR	
Flew by u	s twice allowing a go	od view. Only the 2nd SBA	winter record!	
COMMON LO				
1	12/1	MCV Pond, Mi	RW, EK, SR	
1	12/17	Midland CBC		New for count!
1	12/23, 30	Tawas Point SP, Io	BB	Quite late.
PIED-BILLE	9 FEE S 30000			
1	12/17	Midland CBC		
HORNED GF		1401/0	5.11.51.55	
1	12/1	MCV Pond, Mi	RW, EK, SR	
1	12/10 12/17	Three Mile Park, lo	RW, SR	Manager and a
DED NECKE		Midland CBC		New for count!
RED-NECKE	12/4	Tawas Boint CD In	10.00	
(5	ESTED CORMORA	Tawas Point SP, Io	JS, GS	
2	12/1	MCV Pond, Mi	RW, EK, SR	
1	12/17	Midland CBC	HW, LK, SH	New for count!
3	tp	Karn Plant, Ba	JS, GS	Noted on Bay City CBC.
GREAT BLU		ram ram, ba	00, 00	Noted on Day City CBC.
28	12/1	Shiawassee NWR, Sa	DP	See a s
25	12/29	Shiawassee NWR, Sa	BG	Late for numbers.
1	2/14	Shiawassee NWR, Sa	DP	Eato ioi iidiiboio.
1	tp	Karn Plant, Ba	JS, GS	
TUNDRA SW		a section of the sect	,	
3400	12/3	Nayanquing Pt WA, Ba	RW, SR	New winter peak!
6	12/18	Bay City CBC	* *** 8	New count high!
98	12/28	Callahan Rd, Ba	RW .	High total for so late.
23	1/8	Karn Plant, Ba	RW, JS, GS	
15	1/9	Shiawassee NWR, Sa	DP	
2	1/28	Au Gres RM, Ar	GZ	
5	2/15	Karn Plant, Ba	JS	
5	2/22	Shiawassee NWR, Sa	DP	Bumper crop this winter!
MUTE SWAN		· · · · · · · · · · · · · · · · · · ·	e i grafija saji i a aj	
10	2/15	Karn Plant, Ba	JS	
10 4	2/15 2/28	Karn Plant, Ba MCV Pond, Mi	JS RW, EK	Noted on Midland CBC.
10 4 SNOW GOO	2/15 2/28 SE:	MCV Pond, Mi		
10 4 SNOW GOO 2	2/15 2/28 SE: 12/18	MCV Pond, Mi Bay City CBC	RW, EK	New count high!
10 4 SNOW GOO 2 4	2/15 2/28 SE: 12/18 12/21	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa	RW, EK	New count high! At least one to at SNWR.
10 4 SNOW GOO 2 4 2	2/15 2/28 SE: 12/18 12/21 2/19	MCV Pond, Mi Bay City CBC	RW, EK	New count high!
10 4 SNOW GOO 2 4	2/15 2/28 SE: 12/18 12/21 2/19 SE:	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi	DP RW	New count high! At least one to at SNWR.
10 4 SNOW GOO 2 4 2 ROSS' GOO	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa	DP RW	New count high! At least one to at SNWR.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi	DP RW	New count high! At least one to at SNWR.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S	DP RW	New count high! At least one to at SNWR.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations.	RW, EK DP RW DP BA!	New count high! At least one to at SNWR. Overwintering?
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: bugh period at many 12/2	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa	DP RW	New count high! At least one to at SNWR. Overwintering? Only 7592 on 2/28.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: bugh period at many 12/2 12/17	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC	RW, EK DP RW DP BA!	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: ough period at many 12/2 12/17 12/18	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC	RW, EK DP RW DP BA!	New count high! At least one to at SNWR. Overwintering? Only 7592 on 2/28.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: ough period at many 12/2 12/17 12/18 2/19	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC	RW, EK DP RW DP BA!	New count high! At least one to at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: ough period at many 12/2 12/17 12/18 2/19	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi	RW, EK DP RW DP BA! DP	New count high! At least one to at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: ough period at many 12/2 12/17 12/18 2/19 K:	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa efirst winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC	RW, EK DP RW DP BA!	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: ough period at many 12/2 12/17 12/18 2/19 K: 12/3	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba	RW, EK DP RW DP BA! DP	New count high! At least one to at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high!
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the OOSE: ough period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa efirst winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC	RW, EK DP BA! DP RW RW, SR	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high!
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN B 434	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the OOSE: ough period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa	RW, EK DP RW DP BA! DP RW RW, SR JS DP	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high!
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN B 434 200	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the OOSE: ough period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK:	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba	RW, EK DP RW DP BA! DP RW RW, SR JS	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN B 434 200 MALLARD:	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: bugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba	DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN F 434 200 MALLARD: 3500	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN I 434 200 MALLARD: 3500 11548	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR DP	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN F 434 200 MALLARD: 3500 11548 9000	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8 12/1 1/8	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa Bay Port-Seb., Hu	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in. Peak.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN B 434 200 MALLARD: 3500 11548 9000 1737	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8 12/1 1/8 12/1	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa Bay Port-Seb., Hu Midland CBC	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR DP ME	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN E 434 200 MALLARD: 3500 11548 9000 1737 1400	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8 12/1 1/8 12/1 1/8	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa Bay Port-Seb., Hu	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR DP	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in. Peak.
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN B 434 200 MALLARD: 3500 11548 9000 1737 1400 NORTHERN	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8 12/1 1/8 12/1 1/8 12/1 1/8 PINTAIL:	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa Bay Port-Seb., Hu Midland CBC Karn Plant, Ba	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR DP ME RW, JS, GS	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in. Peak. New count high!
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN E 434 200 MALLARD: 3500 11548 9000 1737 1400 NORTHERN 55	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8 12/1 1/8 12/1 1/8 12/17 1/8 PINTAIL: 12/3	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa Bay Port-Seb., Hu Midland CBC Karn Plant, Ba Nayanquing Pt WA, Ba	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR DP ME	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in. Peak. New count high!
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN E 434 200 MALLARD: 3500 11548 9000 1737 1400 NORTHERN 55	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8 12/1 1/8 12/1 1/8 PINTAIL: 12/3 12/17	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa Bay Port-Seb., Hu Midland CBC Karn Plant, Ba Nayanquing Pt WA, Ba Nayanquing Pt WA, Ba MCV. Mi	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR DP ME RW, JS, GS RW, SR	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in. Peak. New count high!
10 4 SNOW GOO 2 4 2 ROSS' GOO 1 This fall h CANADA GO Noted thro 14969 3022 1050 2500 WOOD DUC 1 4 2 AMERICAN E 434 200 MALLARD: 3500 11548 9000 1737 1400 NORTHERN 55	2/15 2/28 SE: 12/18 12/21 2/19 SE: 12/8 oldover represent the DOSE: Dugh period at many 12/2 12/17 12/18 2/19 K: 12/3 12/18 2/20 BLACK DUCK: 12/21 1/8 12/1 1/8 12/1 1/8 PINTAIL: 12/3 12/19 1/25	MCV Pond, Mi Bay City CBC Shiawassee NWR, Sa MCV Pond, Mi Shiawassee NWR, Sa e first winter record for the S SBA locations. Shiawassee NWR, Sa Midland CBC Bay City CBC MCV Pond, Mi Nayanquing Pt WA, Ba Bay City CBC Saginaw R, Ba Shiawassee NWR, Sa Karn Plant, Ba MCV Pond, Mi Shiawassee NWR, Sa Bay Port-Seb., Hu Midland CBC Karn Plant, Ba Nayanquing Pt WA, Ba	RW, EK DP RW DP BA! DP RW RW, SR JS DP RW, JS, GS RW, EK, SR DP ME RW, JS, GS	New count high! At least one tp at SNWR. Overwintering? Only 7592 on 2/28. ~3000-4000 overwintered. New count high! New count high! Few Feb. records. Peak. A flock of 2000 flew in. Peak. New count high!



Winter 94-95

			D144 OD	
31	12/3	Nayanquing Pt WA, Ba	RW, SR	
7	12/8	Shiawassee NWR, Sa	DP	
i	1/9	Shiawassee NWR, Sa	DP	Rare in Jan.
- A	175	Omanasses iviii, ea		
GADWALL:		140V/D	DW EK CD	Seven there on 2/28.
42,37	12/1,17	MCV Pond, Mi	RW, EK, SR	
54	12/3	Nayanquing Pt WA, Ba	RW, SR	New winter peak!
1	12/28	Hampton Twp, Ba	JS, GS	to a grant of the second
		Hampton Twp, ba	00, 00	
AMERICAN V	MIGEON:	_		B
162	12/3	Nayanquing Pt WA, Ba	RW, SR	Peak.
1	1/9	Shiawassee NWR, Sa	DP	Only 4th Jan. record.
•	NO. 2 (20)	Omanassos min, ca	_,	
CANVASBAC			D.11. OD	
25	12/3	Nayanquing Pt WA, Ba	RW, SR	
1	12/30	Tawas Point SP, Io	BB *	
	12/30	Tawas Fount Of , 10		
REDHEAD:			D	David
400	12/3	Nayanquing Pt WA, Ba	RW, SR	Peak.
2	12/18	Bay City CBC		Ties count high.
		Karn Plant, Ba	JS, RW, GS	High Jan. count.
10	1/7			riigii oanii oodinii
1	1/22	Saginaw R, Ba	RW, SR	
1	1/25	Shiawassee NWR, Sa	DP	
RING-NECKI		D. 14/4 D-	DW CD	
1	12/3	Nayanquing Pt WA, Ba	RW, SR	
4	12/8	Shiawassee NWR, Sa	DP	
	1/8-9	Oscoda, lo	JG, MW	Rare after December.
1		Oscoda, 10	0 a, 11111	
GREATER S	CAUP:	and the second of the second of the second of		
8000	12/3	Nayanquing Pt WA, Ba	RW, SR	New SBA peak count!
	12/9	Dow Ponds, Mi	RW	Inland bird.
1				
1	12/10	Tawas Point SP, Io	RW, SR, BB	
80	12/10	Three Mile Park, Io	RW, SR	
2	12/18	Bay City CBC		New count high.
	No. of Contract Contr	Day Oily ODO		
LESSER SC				
1	12/9	Dow Ponds, Mi	RW	
6	12/26	Tawas Point SP, Io	BB	
		Karn Plant, Ba	JS, RW, GS	
1	1/7			ora TMA est and a second of the second of th
4	2/22	Shiawassee NWR, Sa	DP	Dan Maria
	I DUCK.	Z.:		646
HARLEGUIN	I DUCK.			e n
HARLEQUIN	thru 1/1	Au Sable RM To	JG et. al.	Fall holdover.
4	thru 1/1	Au Sable RM, lo	JG et. al.	Fall noldover.
1 Another o	thru 1/1	enorted from the Huron CBC	by MW. This bird was	called in flight at a good distance because of
1 Another o	thru 1/1 of this species was r	eported from the Huron CBC	by MW. This bird was facial spots or other wh	called in flight at a good distance because of lite markings were seen on this bird. No
1 Another o	thru 1/1 of this species was r	eported from the Huron CBC	by MW. This bird was facial spots or other wh	called in flight at a good distance because of lite markings were seen on this bird. No
1 Another o its Harleq written do	thru 1/1 of this species was r juin-like shape and a ocumentation was a	eported from the Huron CBC	by MW. This bird was facial spots or other wh	called in flight at a good distance because of
1 Another of its Harleq written do OLDSQUAW	thru 1/1 of this species was r juin-like shape and a ocumentation was a v:	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as th	by MW. This bird was facial spots or other wh e Huron CBC informati	called in flight at a good distance because of lite markings were seen on this bird. No
1 Another of its Harleq written do OLDSQUAW	thru 1/1 of this species was r juin-like shape and a ocumentation was a	eported from the Huron CBC	by MW. This bird was facial spots or other wh e Huron CBC informati RW, SR, BB	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler.
1 Another of its Harleq written do OLDSQUAW 60	thru 1/1 of this species was r juin-like shape and a ocumentation was a v: 12/10	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as th Tawas Point SP, Io	by MW. This bird was facial spots or other wh e Huron CBC informati RW, SR, BB	called in flight at a good distance because of lite markings were seen on this bird. No
1 Another of its Harleq written do OLDSQUAW 60 1	thru 1/1 of this species was r juin-like shape and a ocumentation was a v: 12/10 12/17	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as th Tawas Point SP, Io Midland CBC	by MW. This bird was facial spots or other wh e Huron CBC informati RW, SR, BB JS, RW, GS	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler.
1 Another of its Harleq written do OLDSQUAW 60 1 300	thru 1/1 of this species was requin-like shape and a ocumentation was a v: 12/10 12/17 12/26	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as th Tawas Point SP, Io Midland CBC Tawas Point SP, Io	by MW. This bird was facial spots or other wh e Huron CBC informati RW, SR, BB JS, RW, GS BB	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count!
1 Another of its Harleq written do OLDSQUAW 60 1	thru 1/1 of this species was r juin-like shape and a ocumentation was a v: 12/10 12/17	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as th Tawas Point SP, Io Midland CBC Tawas Point SP, Io Tawas Point SP, Io	by MW. This bird was facial spots or other wh e Huron CBC informati RW, SR, BB JS, RW, GS BB SR, RW	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high!
1 Another of its Harleq written do OLDSQUAW 60 1 300 555	thru 1/1 of this species was rejuin-like shape and a ocumentation was a /: 12/10 12/17 12/26 12/31	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo	by MW. This bird was facial spots or other wh e Huron CBC informati RW, SR, BB JS, RW, GS BB SR, RW BB	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555	thru 1/1 of this species was rejuin-like shape and a ocumentation was a /: 12/10 12/17 12/26 12/31	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo	by MW. This bird was facial spots or other wh e Huron CBC informati RW, SR, BB JS, RW, GS BB SR, RW BB	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir	thru 1/1 of this species was requin-like shape and a ocumentation was at 7: 12/10 12/17 12/26 12/31 1/15 rds apparently winte	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo tawas Point SP, lo er in this area (likewise White-	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB winged Scoter), but the	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high!
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the	thru 1/1 of this species was requin-like shape and a commentation was a v: 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB winged Scoter), but the	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the	thru 1/1 of this species was requin-like shape and a ocumentation was at 7: 12/10 12/17 12/26 12/31 1/15 rds apparently winte	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the fire	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight.	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN	thru 1/1 of this species was requin-like shape and a commentation was a v: 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by IGED SCOTER:	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the fire	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight.	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report.
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192	thru 1/1 of this species was requin-like shape and a commentation was and the state of the shape and the state of the shape and the state of the shape and the shape are the shape and the shape are t	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the fire Tawas Point SP, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB winged Scoter), but the st hours of daylight. BB	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report.
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300	thru 1/1 of this species was requin-like shape and a commentation was a v: 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by IGED SCOTER: 12/24 12/28	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192	thru 1/1 of this species was requin-like shape and a commentation was a v: 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by IGED SCOTER: 12/24 12/28 12/31	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700	thru 1/1 of this species was requin-like shape and a commentation was a v: 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by IGED SCOTER: 12/24 12/28 12/31	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9	thru 1/1 of this species was requin-like shape and a commentation was at v: 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by IGED SCOTER: 12/24 12/28 12/31 1/15	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6	thru 1/1 of this species was requin-like shape and a commentation was a vice 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by GED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE:	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Tawas Point SP, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100	thru 1/1 of this species was requin-like shape and a commentation was a vir. 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by IGED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE: 12/10	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Three Mile Park, lo Three Mile Park, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100	thru 1/1 of this species was requin-like shape and a commentation was a vice 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by GED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE:	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Bay City CBC	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high!
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514	thru 1/1 of this species was requin-like shape and a commentation was and a commentation was and a decimentation was and a 12/26 12/31 1/15 GOLDENEYE: 12/10 12/18	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Three Mile Park, lo Three Mile Park, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report.
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600	thru 1/1 of this species was requin-like shape and a commentation was a vir. 12/10 12/17 12/26 12/31 1/15 rds apparently wintene lake. Moving by IGED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE: 12/10 12/18 1/7	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Bay City CBC	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high!
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE.	thru 1/1 of this species was requin-like shape and a commentation was a vir. 12/10 12/17 12/26 12/31 1/15 rds apparently wintene lake. Moving by IGED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE: 12/10 12/18 1/7 AD:	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo ar in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Bay City CBC Karn Plant, Ba	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high.
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE, 50	thru 1/1 of this species was requin-like shape and a commentation was a vir. 12/10 12/17 12/26 12/31 1/15 rds apparently wintene lake. Moving by IGED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE: 12/10 12/18 1/7 AD: 12/3	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo ar in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Bay City CBC Karn Plant, Ba	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high!
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE, 50	thru 1/1 of this species was requin-like shape and a commentation was a vir. 12/10 12/17 12/26 12/31 1/15 rds apparently wintene lake. Moving by IGED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE: 12/10 12/18 1/7 AD: 12/3	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo ar in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Bay City CBC Karn Plant, Ba	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high.
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE 50 19	thru 1/1 of this species was requin-like shape and a commentation was a vir. 12/10 12/17 12/26 12/31 1/15 rds apparently winter lake. Moving by IGED SCOTER: 12/24 12/28 12/31 1/15 GOLDENEYE: 12/10 12/18 1/7 AD: 12/3 12/31	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo ar in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Bay City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high.
1 Another of its Harled written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE 50 19 2	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation accumentation was accumentation was accumentation accum	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo ar in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Bay City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JG	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation was accumentation accumenta	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo ar in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Bay City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation accumentation was accumentation was accumentation accum	reported from the Huron CBC all dark wings and belly. No evailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Say City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo Dow Ponds, Mi	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JS, RW, GS RW, SR JG RW	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE 50 19 2 1,3 HOODED M	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation was accumentation	reported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo ar in this area (likewise White in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Bay City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JG	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3 HOODED M 8	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation was accumentation acc	reported from the Huron CBC all dark wings and belly. No evailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Say City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo Dow Ponds, Mi	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JS, RW, SR JG RW RW, EK, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3 HOODED M 8 13	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation was accumentation	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Day City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo Dow Ponds, Mi MCV Pond, Mi Nayanquing Pt WA, Ba	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB -winged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JS, RW, GS RW, SR JG RW	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak. Early arrivals?
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3 HOODED M 8	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation was accumentation	reported from the Huron CBC all dark wings and belly. No evailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Day City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo Dow Ponds, Mi MCV Pond, Mi Nayanquing Pt WA, Ba Midland CBC	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB SWinged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JS, RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak.
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3 HOODED M 8 13	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation was accumentation	eported from the Huron CBC all dark wings and belly. No vailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Day City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo Dow Ponds, Mi MCV Pond, Mi Nayanquing Pt WA, Ba	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB swinged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JS, RW, SR JG RW RW, EK, SR RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak. Early arrivals?
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3 HOODED M 8 13 10 1	thru 1/1 of this species was requin-like shape and accumentation was and the state of the state	reported from the Huron CBC all dark wings and belly. No evailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Day City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo Dow Ponds, Mi Nayanquing Pt WA, Ba Midland CBC Oscoda, lo	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB swinged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JS, RW, SR JG RW RW, EK, SR RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak. Early arrivals?
1 Another of its Harleq written do OLDSQUAW 60 1 300 555 12 These bir out into the WHITE-WIN 192 300 700 9 COMMON 6 1100 1514 1600 BUFFLEHE. 50 19 2 1,3 HOODED M 8 13 10	thru 1/1 of this species was requin-like shape and accumentation was accumentation accumentation was accumentation was accumentation	reported from the Huron CBC all dark wings and belly. No evailable for this sighting as the Tawas Point SP, lo Midland CBC Tawas Point SP, lo Tawas Point SP, lo Tawas Point SP, lo er in this area (likewise White-in small groups during the first Tawas Point SP, lo Three Mile Park, lo Three Mile Park, lo Tawas Point SP, lo Three Mile Park, lo Day City CBC Karn Plant, Ba Nayanquing Pt WA, Ba Jerry's Marina, lo Oscoda, lo Dow Ponds, Mi MCV Pond, Mi Nayanquing Pt WA, Ba Midland CBC	by MW. This bird was facial spots or other whe Huron CBC information RW, SR, BB JS, RW, GS BB SR, RW BB SWinged Scoter), but the st hours of daylight. BB AB, PC SR, RW BB RW, SR JS, RW, GS RW, SR JS, RW, SR	called in flight at a good distance because of lite markings were seen on this bird. No on was not submitted to this compiler. New bird for count! New winter high! Last report. ey are not visible once the ice forces them Likely wintering birds. Last report. New count high! Ties SBA high. Peak. Early arrivals?

品

Winter 94-95

3

COMMON ME	RGANSER:	*****	DW EK CD	Later 7500 (inland!).
6000	12/1	MCV Pond, Mi	RW, EK, SR DP	Later 7500 (mand:).
1663 7500	12/1 12/17	Shiawassee NWR, Sa Midland CBC	Di .	New count high!
RED-BREAST	ED MERGANSER:			3.5
Scattered s	ightings through pe	eriod.	DW 0D	Peak.
4	12/3	Nayanquing Pt WA, Ba	RW, SR	reak.
RUDDY DUCK	(: 12/2-3	Dow Ponds, Mi	RW, MW	New winter peak!
38 BALD EAGLE		DOW 1 Onds, IVII		
5	12/18	Bay City CBC		New count high!
1ad, 1im	12/19,1/18	Chippewa NC, Mi	JSm, PS	
2	1/8	Karn Plant, Ba	RW, JS, GS DP	8 there on 12/3.
10 1	1/25 2/9	Shiawassee NWR, Sa Salzburg Rd, Mi	DB	Several other reports.
NORTHERN I		04.20 ang vite, ini		
2	12/8,2/9	Shiawassee NWR, Sa	DP	Other control reports
2	2/24	Bay City Rd, Mi	DB	Other scattered reports.
SHARP-SHIN		Shiawassee NWR, Sa	DP	
1 2	12/1 12/17	Midland CBC		Ties count high.
1	1/8	Chippewa NC, Mi	JL	
One also v	vintered near Mary	Buzzard's feeder in Bay Cou	unty.	
COOPER'S H	AWK:			
		oirds through period.		
RED-TAILED	sightings through p	eriod.		
26	12/17	Midland CBC		New count high!
22	12/18	Bay City CBC	55	Peak.
19	1/11	Shiawassee NWR, Sa	DP	reak.
ROUGH-LEG	GED HAWK:	erind		
Scattered 7	sightings through p	Shiawassee NWR, Sa	DP, BG	Peak.
5	1/28	Lake Twp, Hu	ME, TH	
AMERICAN I	KESTREL:			
	sightings through p	period. Midland CBC		
17	12/17 12/18	Bay City CBC		
26 MERLIN:	12/10	bay only obo		
1	1/21	Port Crescent SP, Hu	TH	First Jan. record!
GYRFALCO		Ohiomooo NIMD Co	DD DW EK	
1	1/9-10	Shiawassee NWR, Sa	DP, RW, EK	tound this gray phase "brown" immature
Only the I			he last two winters! Da	We foulful this dray-bridge brown miniature
hird foodi	ng in one of the farr	n units. Interestingly, it had	he last two winters! Da facial markings very sir	ive found this gray-phase "brown" immature nilar to the bird seen last winter by Bob Bell at
	ng in one of the farr	n units. Interestingly, it had	facial markings very sir	nilar to the bird seen last winter by Bob Bell at
Tawas Po	ng in one of the farr bint SP, Io.	n units. Interestingly, it had	taciai markings very sii	milat to the bird seem last winter by 200 co. a.
Tawas Po RING-NECK Scattered	ng in one of the farr pint SP, Io. ED PHEASANT: sightings through p	n units. Interestingly, it had	taciai markings very sii	we found this gray-phase blown immediate nilar to the bird seen last winter by Bob Bell at WR, Sa and both reported CBCs.
Tawas Po RING-NECK Scattered RUFFED GF	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p BOUSE:	n units. Interestingly, it had be	taciai markings very sii	milat to the bird seem last winter by 200 com an
Tawas Po RING-NECK Scattered RUFFED GF 1	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p BOUSE: 12/17	n units. Interestingly, it had beriod. Reported from Sagir Midland CBC	taciai markings very sii	milat to the bird seem last winter by 200 co. a.
Tawas Po RING-NECK Scattered RUFFED GF 1 1	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p ROUSE: 12/17 12/28	n units. Interestingly, it had be	naw and Shiawassee N	WR, Sa and both reported CBCs. Numbers still seem low.
Tawas Po RING-NECK Scattered RUFFED GF 1	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p ROUSE: 12/17 12/28	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io Old-23, Io	naw and Shiawassee N	WR, Sa and both reported CBCs.
Tawas Po RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p ROUSE: 12/17 12/28 EY: 12/11 12/17	n units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io	naw and Shiawassee N	WR, Sa and both reported CBCs. Numbers still seem low.
Tawas Po RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20 AMERICAN	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p ROUSE: 12/17 12/28 EY: 12/11 12/17 COOT:	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io Old-23, Io Midland CBC	naw and Shiawassee N' GZ BB	WR, Sa and both reported CBCs. Numbers still seem low. Peak.
Tawas Po RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20 AMERICAN 50	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p OUSE: 12/17 12/28 EY: 12/11 12/17 COOT: 12/1	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io Old-23, Io Midland CBC MCV Pond, Mi	naw and Shiawassee N' GZ BB RW, EK, SR	WR, Sa and both reported CBCs. Numbers still seem low.
Tawas Po RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20 AMERICAN 50 2	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p ROUSE: 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/10	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io Old-23, Io Midland CBC	naw and Shiawassee N' GZ BB	WR, Sa and both reported CBCs. Numbers still seem low. Peak.
Tawas Po RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20 AMERICAN 50	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through part 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/10 12/18 SNIPE:	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, lo Old-23, lo Midland CBC MCV Pond, Mi Tawas Lake, lo Bay City CBC	GZ BB RW, EK, SR RW, SR	WR, Sa and both reported CBCs. Numbers still seem low. Peak. 29 left on 2/28.
Tawas Por RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20 AMERICAN 50 2 2 COMMON S 2	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through p ROUSE: 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/10 12/18 SNIPE: 12/5	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io Old-23, Io Midland CBC MCV Pond, Mi Tawas Lake, Io	GZ BB RW, EK, SR RW, SR	WR, Sa and both reported CBCs. Numbers still seem low. Peak.
Tawas Por RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20 AMERICAN 50 2 2 COMMON S 2 2 BONAPART	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through part 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/10 12/18 SNIPE: 12/5 E'S GULL:	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io Old-23, Io Midland CBC MCV Pond, Mi Tawas Lake, Io Bay City CBC Nayanquing Pt WA, Ba	actal markings very sin naw and Shiawassee N' GZ BB RW, EK, SR RW, SR	WR, Sa and both reported CBCs. Numbers still seem low. Peak. 29 left on 2/28.
Tawas Por RING-NECK Scattered RUFFED GF 1 1 1 WILD TURK 50 20 AMERICAN 50 2 2 COMMON S 2 2 EONAPART 250	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through part 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/10 12/18 SNIPE: 12/5 E'S GULL: 12/1	m units. Interestingly, it had be not	GZ BB RW, EK, SR RW, SR	WR, Sa and both reported CBCs. Numbers still seem low. Peak. 29 left on 2/28. Rare in winter.
Tawas Por RING-NECK Scattered RUFFED GF 1 1 WILD TURK 50 20 AMERICAN 50 2 2 COMMON S 2 2 BONAPART	ng in one of the farr bint SP, Io. ED PHEASANT: sightings through particles 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/10 12/18 SNIPE: 12/5 E'S GULL: 12/1 12/1	m units. Interestingly, it had beriod. Reported from Sagir Midland CBC Tawas Point SP, Io Old-23, Io Midland CBC MCV Pond, Mi Tawas Lake, Io Bay City CBC Nayanquing Pt WA, Ba	maw and Shiawassee N' GZ BB RW, EK, SR RW, SR KM RW, EK, SR JS	WR, Sa and both reported CBCs. Numbers still seem low. Peak. 29 left on 2/28. Rare in winter.
Tawas Por RING-NECK Scattered RUFFED GF 1 1 1 WILD TURK 50 20 AMERICAN 50 2 2 COMMON S 2 2 BONAPART 250 150 1 1 1	ng in one of the farroint SP, Io. ED PHEASANT: sightings through process 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/10 12/18 ENIPE: 12/5 E'S GULL: 12/1 12/6 12/17 12/6 12/17	m units. Interestingly, it had be not	actal markings very sin naw and Shiawassee N' GZ BB RW, EK, SR RW, SR KM RW, EK, SR	WR, Sa and both reported CBCs. Numbers still seem low. Peak. 29 left on 2/28. Rare in winter.
Tawas Por RING-NECK Scattered RUFFED GF 1 1 1 WILD TURK 50 20 AMERICAN 50 2 COMMON S 2 BONAPART 250 150 1 1 1 BING-RILLE	ng in one of the farroint SP, Io. ED PHEASANT: sightings through process 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/18 SNIPE: 12/5 E'S GULL: 12/1 12/6 12/17 12/31 FD GULL:	m units. Interestingly, it had be not	maw and Shiawassee N' GZ BB RW, EK, SR RW, SR KM RW, EK, SR JS RW	WR, Sa and both reported CBCs. Numbers still seem low. Peak. 29 left on 2/28. Rare in winter.
Tawas Por RING-NECK Scattered RUFFED GF 1 1 1 WILD TURK 50 20 AMERICAN 50 2 COMMON S 2 BONAPART 250 150 1 1 1 BING-RILLE	ng in one of the farroint SP, Io. ED PHEASANT: sightings through process 12/17 12/28 EY: 12/11 12/17 COOT: 12/1 12/18 SNIPE: 12/5 E'S GULL: 12/1 12/6 12/17 12/31 FD GULL:	m units. Interestingly, it had be not	maw and Shiawassee N' GZ BB RW, EK, SR RW, SR KM RW, EK, SR JS RW	WR, Sa and both reported CBCs. Numbers still seem low. Peak. 29 left on 2/28. Rare in winter.

424

Winter 94-95

4

he.

35	12/17	Midland CBC		New count high!
20	12/29	Shiawassee NWR, Sa	DP	, , , , , , , , , , , , , , , , , , ,
HERRING G	ULL:			
1000	12/3	Bay City SP, Ba	RW, SR	
1007	12/17	Midland CBC		New count high!
637	12/21	Shiawassee NWR, Sa	DP	
725	1/17	Saginaw R, Ba	JS	A new batch appeared.
14	1/25	Shiawassee NWR, Sa	DP	
GLAUCOUS	GULL:			
1	12/5	Au Sable RM, Io	KM	
2	12/8	Eagle Bay, Hu	ME	
1	12/17	Midland CBC		Only 2nd time for count.
2	1/1	Au Sable RM, Io	JG	
4	1/17	Saginaw R, Ba	JS	
ICELAND G	ULL:			
2 ad	1/21	Saginaw R, Ba	R&MP	First in a couple years.
LESSER BL	ACK-BACKED GULL	.:		
1	thru 1/1	Bay City SP, Ba	RW, JG, et. al.	Noted on Bay City CBC.
GREAT BLA	CK-BACKED GULL:			
7	12/8	Eagle Bay, Hu	ME	
11	12/28	Knight Rd, Ba	JS	
2	12/29	Shiawassee NWR, Sa	DP, BG	Still rare at SNWR.
5	1/1	Au Sable RM, Io	JG	
THICK-BILL	ED MURRE:			
1	12/27-28	Knight Boad, Ba	DD MW	

Knight Road, Ba DD, MW

This bird was found by Dan Duso of Bay City and was seen at a distance of "400 to 500 yards" with 10x binoculars. He said that it flew in close to a group of Common Mergansers and Black Ducks. He stated that it looked most like the Thick-billed Murre in his field guide and he believes that what it was. He saw a thick bill (non-duck-like bill) and did not see the bird dive. Myles Willard saw the bird at about "100-150 yards" and got a good side view for about five seconds. He said the bird was diving about 80% of the time. He described a bird that was black on the back and top of the head with a mottled along the side of the neck. It had a heavy body and a rounded head that was thick as was the neck. Both mandibles were thick and parallel "like that of a Tufted Titmouse". The lower mandible joined the face in a white area. The size of the bird was described as just over half the size of a nearby Common Merganser. Myles also felt the bird was a Thick-billed Murre. No details of how the bird was eliminated from certain similar species (including other seabirds) were discussed. Written documentation was requested from each observer but neither wished to do so. Any inquiries should be directed to the actual observers and not this regional compiler.

Another bird (a domestic duck) was seen shortly after these sightings in the same area. However, both observers saw a thick bill that did not match that of the domestic bird. The bird Myles saw was also diving frequently.

ROCK DOVE:

Common through period. Peak of 75 on 12/10 at the Au Sable River mouth, Io (RW, SR). MOURNING DOVE:

			o =	
95	12/28	Midland, Mi	GZ	
145	1/25	Shiawassee NWR, Sa	DP	
EASTERN	SCREECH-OWL:			
1	12/16	Hampton Twp	JS	* ;;
1	12/17	Midland CBC		ř
3	12/18	Bay City CBC		
2	2/1	Shiawassee NWR, Sa	via DP	
1	2/20	Hampton Twp	JS, GS	
GREAT HO	RNED OWL:	F	,	
1	12/18	Bay City CBC		
1	1/20	Midland, Mi	GZ	
i	12/1	Shiawassee NWR, Sa	DP	
SNOWY O		5aa.5555, 5.a	-	
2	12/1	Owendale, Hu	MEM	
1	12/6	Saginaw Twp, Sa	ME	Very few this winter.
1	2/4	Homer Twp, Mi	AL	voly ion and inition
BARRED C		riomer rup, un	712	
1	12/17	Midland CBC		Only report.
SHORT E	RED OWL:	Wildiana OBO		Giny reports
1	1/7	Hampton Twp	JS, GS, RW	
4	1/25	Shiawassee NWR, Sa	DP	
lt waa a		•	DF	
		ewide) to see this species.		
BELIEDK	NGFISHER:	Midland CDC		Many favy thin winter
1	12/17	Midland CBC	55	Very few this winter.
1	1/16	largo Springs, Io	BB	Odd winter location.
RED-BELL	IED WOODPECKER:			



Winter 94-95

```
3
              12/3
                                 Shiawassee NWR, Sa
                                                         BG
   15
              12/17
                                 Midland CBC
                                                                             New count high.
   4
              12/18
                                 Bay City CBC
YELLOW-BELLIED SAPSUCKER:
              12/3
                                 Tobico Marsh SGA, Ba
                                                         JG
                                                                             Rare winter sighting!
DOWNY WOODPECKER:
   Common through period.
HAIRY WOODPECKER:
   Fairly common through period.
NORTHERN FLICKER:
                                 Shiawassee NWR, Sa
              12/1
                                                         DP
              ~12/17
                                 Midland CBC
                                                                             Count week bird.
              12/18
                                 Bay City CBC
              1/28
                                 Lake Twp, Hu
                                                         TH. ME
                                 Green Pt NC, Sa
              2/5
                                                         M&JH
PILEATED WOODPECKER:
              12/1
                                 Shiawassee NWR, Sa
                                                         DP
                                 Homer Twp, Mi
              Feb
                                                         RB
                                Green Pt NC, Sa
Green Pt NC, Sa
              2/5
                                                         M&JH
              2/22
   3
                                                         via DP
                                                                             New SBA peak count.
HORNED LARK:
   Scattered sightings through period.
BLUE JAY:
   Common through period.
AMERICAN CROW:
   692
              12/17
                                Midland CBC
   150
              1/7
                                Saginaw, Sa
                                                         DP
   The usual hundreds making daily movements to and from the roosting sites in Midland, Mi.
COMMON RAVEN:
              12/25
                                Iosco County
                                                         BB
BLACK-CAPPED CHICKADEE:
   Common through period.
TUFTED TITMOUSE:
   Common through period.
              12/17
                                Midland CBC
                                                                             New count high!
RED-BREASTED NUTHATCH:
              12/17
                                Midland CBC
              12/25
                                Rollways Rd, lo
                                                         BB
                                                                             Few this winter.
WHITE-BREASTED NUTHATCH:
   Common through period.
BROWN CREEPER:
   Scattered sightings through period.
CAROLINA WREN:
              into Jan.
                                Lee Twp, Mi
                                                         EW
                                                                             Present since October.
              12/13
                                Midland, Mi
                                                         ML
                                Midland, Mi
              12/13
                                                         EJB via JL
                                                                             Also present since October.
              12/17
                                Midland CBC
              2/7
                                Green Point, Sa
                                                         via DP
GOLDEN-CROWNED KINGLET:
                                Rollways Rd, lo
              12/25
                                                         BB
                                                                             Only report.
EASTERN BLUEBIRD:
              12/17
                                Midland CBC
                                                                             First count record.
  4
              1/7-9
                                Midland, Mi
                                                         JN
  21
              ~1/21
                                Home Twp, Mi
                                                         A&HL
                                                                             6 on Feb. 9, still some on 12th.
              2/8
                                Chippewa NC, Mi
                                                         JL
   There were many reports of bluebirds this winter. Myles Willard from the Thumb had reports almost weekly.
AMERICAN ROBIN:
  Scattered sightings through period. More common than usual this winter.
              12/15
                                Saginaw Twp, Sa
                                                        ME
  3
              12/28
                                Tawas Point SP, Io
                                                         GΖ
              1/10
                                Chippewa NC, Mi
                                                         JSm
  10
              2/4
                                Chippewa NC, Mi
                                                         KB
NORTHERN MOCKINGBIRD:
              2/28
                                Euclid & Salzburg, Ba
                                                         MB
                                                                             Wintering bird?
CEDAR WAXWING:
  Fairly common through period.
  70
              12/11
                                Tawas Point SP, Io
                                                         BB
```

```
RA
                                 Bay County
NORTHERN SHRIKE:
   Scattered sightings through period.
                                                          DP
                                 Shiawassee NWR, Sa
              12/1
                                                          TH
                                 n. Huron County
                                                                              Reappeared on this date.
              2/18
                                                          DP
                                 Shiawassee NWR, Sa
              2/28
EUROPEAN STARLING:
   Common through period.
YELLOW-RUMPED WARBLER:
                                                          RR
                                  Tawas Point SP, lo
               12/24
                                                          ML via JL
                                  Midland, Mi
               2/4
NORTHERN CARDINAL:
   Common through period.
 AMERICAN TREE SPARROW:
   Fairly common through period. Not as common as in some years.
                                  Shiawassee NWR, Sa
               2/14
   115
    Scattered sightings through December, but only one report after the first of the year.
 SONG SPARROW:
                                  Shiawassee NWR, Sa
               2/14
                                                                               First SBA winter record!
 LINCOLN'S SPARROW:
    This bird was seen and documented by Janea Little and Michael and Sara Ladenburger. The gray face and buffy breast were
    noted on this bird found in Midland County's Ingersoll Twp. Write-up enclosed for state compiler.
 WHITE-CROWNED SPARROW:
                                                                                At Mary Buzzard's feeder.
                                   Bay City CBC
    Five to six of these sparrows spent the entire period at the Buzzard's feeder.
                12/18
                                                                                Odd date & location.
                                   Karn Plant, Ba
                2/20
 DARK-EYED JUNCO:
    Fairly common through period.
  LAPLAND LONGSPUR:
                                                                                3 left on 2/28.
                                   Shiawassee NWR, Sa
                                                            DP
                12/8 tp
                                                                                Peak.
     16
                                                            BG, MW
                                   Shiawassee NWR, Sa
     A group apparently overwintered at Shiawassee as DP reported varying numbers throughout the entire period.
     225
                                   Lake Twp, Hu
                 1/28
  SNOW BUNTING:
     Less common than usual this winter.
                                                            DP
                                   Shiawassee NWR, Sa
                 1/11
     280
  BLACKBIRD SP .:
                                                            GZ
                                    Tawas Point SP, Io
                 12/28
     30
  RED-WINGED BLACKBIRD:
                                                             JS, GS
                                    Karn Plant, Ba
                                                                                 Only third or fourth Jan. record!
                 12/11
                                                             JS
                                    Hampton Twp, Ba
                 1/15
   BROWN-HEADED COWBIRD:
     Reported from Mary Buzzard's feeder in Bay County through period.
                                                             JS, GS
                                    Essexville, Ba
                 1/22
      30
                                                             JS
                                    Essexville, Ba
                 1/27
      105
   PURPLE FINCH:
                                                             RA
                                    largo Springs, lo
                  12/4
      6
                                                             BB
                                     Tawas Point SP, Io
                  12/26
                                                                                  Again only a few reports.
      11
                                     Beaver & Two Mi, Ba
                                                             JG.
                  2/14
   HOUSE FINCH:
      Very common through period.
                                     Midland CBC
                  12/17
      605
                                     Bay City CBC
                  12/18
      496
                                                             JS
                                     Bangor Twp
                  12/25
      50
   RED CROSSBILL:
                                                              BB
                                     largo Springs area, lo
      This species was seen four times along Rollways Road and at largo Springs over the date range listed.
    PINE SISKIN:
       Very rare this winter.
                                     Midland CBC
                  12/17
                                                              via DP
                                     River & Dice, Sa
                  2/28
    AMERICAN GOLDFINCH:
       Much less common than usual this winter.
    EVENING GROSBEAK:
                                                                                   Only report.
                                                              BB
                                      Loud Dam, lo
                   1/16
    HOUSE SPARROW:
```

Winter 94-95

TOTAL: 104 species

RECORDS FROM OUTSIDE THE SBA

None reported this period.

ADDENDUM/CORRECTIONS:

None remembered. I know there were mistakes.

OBSERVERS:

TB EJB BB J&JB KB KB KB M&LB AB H&BC KC PC DE ME CG JG BG TH JHe RH M&JH KK PK PK BK EK ML AL HL CL CC	Marianne Barrowman Tom Beachy Tom Beachy Tom Beachy Tomma Jean Beattie Bob Bell ack & Joanne Bouck Karen Burroughs Russ Bussick Mary & Lloyd Buzzard kdam Byrne Rugh & Bonnie Campbell Katherine Carothers Phil Chu Duane Essenmacher Monica Essenmacher Chuck Gartner ack Gillespie Bob Grefe Tom Heatley eanne Henderson Roger Hill Mark & Joanne Hubinger Kevin Kane Pat Keeler Bob Kemp Eugene Kenaga Mary Lanham Blex Lavier Relen Lavier Chuck Lentz Lelen Lavier Chuck Lentz Lelen Lavier Chuck Lentz Lenea Little	KM MEM SMI JN mo KO DP G&EP MPe R&MP JR RR SS MS JS BS DT VR WEW M&MW BW GZ	Kip Miller Mary Ellen Miller Sandy Miner Joe Natzik many observers Karl Overman David Peters Glenn & Ellen Peterson Mike Petruchia Rod & Marlene Planck Jack Reinoehl Ray Roach Steve Rosenberg Ken Quackenbush Steve Santler Mary Shorkey Wendy Skory Janeen Smith Joe Soehnel Grant Soehnel Phil Stephens Dave Stimac Kevin Thomas Val Trabucchi Ron Weeks Edith Woods Myles & Marilyn Willard Bruce Winchell Gerald Ziarno
JL J	anea Little	GZ	Gerald Ziarno

ABBREVIATIONS

Bay County Christmas Bird Count CBC DDI Diked Disposal Island **Huron County** Hu

10

losco County Midland Cogeneration Venture Pond MCV Pond

Mi Midland County NC Nature Center

NWR National Wildlife Refuge Saginaw County



Winter 94-95

SBA Saginaw Bay Area
SL Sewage Lagoons
SP State Park
tp through period
Tu Tuscola County

SPRING 1995 FEATURE BIRD (PURPLE MARTIN):

The winter 1994-95 winners are. The spring feature bird this time around is Purple Martin. The peak and first spring sighting will both be given special recognition. Below are the all-time and five previous year standards.

EARLIEST SPRING DATE:

(4) 5 April 1955 Midland, Mi (Kenaga) A young Gene Kenaga!

SPRING HIGH COUNT:

(20) 27 May 1971 Chippewa NC, Mi (Hayes, Annelin) A very young Ron Annelin!

1993 ARRIVAL:

April 14

Fish Pt, Tu (M&J Hubinger)

1992 ARRIVAL:

April 22 April 10 Lake Twp, Hu (Essenmacher) Saginaw R, Ba (J Soehnel)

1991 ARRIVAL: 1990 ARRIVAL:

April 24

Caro, Tu (Willard)

1989 ARRIVAL:

April 24 April 20 Bay City SP, Ba (Weeks)

WEATHER EXPLANATION:

Once again we include the weather for the period. One can find daily highs and lows along with the wind speed and direction, barometric pressure, and precipitation in the last 24 hours. The data was provided by Dave Glesner, assistant manager of Midland's Barstow Airport. The barometric pressure, wind speed and direction were taken at 5:45 PM each day with the exception of a few days during the period when conditions were taken from earlier in the afternoon.

MISCELLANEOUS:

The Book

The long-awaited *Birds and Bird Finding in the Saginaw Bay Area* book is finally finished. It includes species accounts covering every bird ever reported from the Saginaw Bay Area, bar graphs, comprehensive early and late dates, peak counts for each of the *Audubon Field Notes* quarters and a 46-page bird finding guide. It has limited distribution at this point, but is available from Ron Weeks (the author), the Chippewa Nature Center, and Cherri's Seed-n-Feed. RJW

Databasing

With this issue of the quarterly survey, we have initiated the databasing process for all records sent in. Virtually all of the records sent in are entered (many more than appear in the preceding spring survey). In the next few years, we will be going back and entering all of the historic records for the SBA. After that is completed one will be able to do searches. One could choose to see all Lapland Longspur records for the winter period in the history of Saginaw Bay (or as far back as we have entered) and have all sightings fitting that criteria listed on a printout or screen display.


As part of this project, Steve will be approaching those with spreadsheets to educate them on how they may configure their records for immediate entry at the end of the period. In the end it will save us hours of inputting records. Give Steve or I a call if you are interested. RJW

HAWKS '95

It's that time of year again and the hawks are already flying at Port Crescent State Park (PCSP). The hawk watch has gained considerable momentum after 10,573 hawks were counted at PCSP last year exceeding the Whitefish Point total of 8,438 hawks. Funds have been raised to construct an observation platform and construction will begin soon. Tom Heatley a well-known hawk bander in the region will spend the entire month of April at the park. Tom's setup alone is worth the visit to PCSP and on a good flight day close-up views of the netted birds are possible before Tom releases them. Huron Audubon's Hawkfest '95 program will occur at the park on Saturday April 29th. Best viewing time is from 9am-4pm. Plan to spend the entire day as the timing of the hawk flight can vary. Special guest speaker Dave Stimac, co-author of the Hawks of Holiday Beach, will be giving a slide presentation at the ranger station highlighting photographs from his years of hawk watching. Dave will be on hand all day to help everyone with their raptor identification skills. This is the best place in Michigan in spring to see numbers of Cooper's Hawks and learn to separate them from Sharp-shinned Hawks. Also Huron Audubon will be having a pot luck luncheon at the Hawkfest, so if you are bringing a large group let us know so we can plan the food accordingly. For more information call Monica Essenmacher at 792-1129. Just to whet your appetite we have included graphs of last year's hawk sightings. SR



Winter 94-95



Pressure (inches Hg)

Date/Wind Dir./Wind Speed/Sky Condition

_								
<0.10	0.10-0.50	<0.50	0.5-3*	>3.				
Light Rain	Rain	Light Snow	Snow	Heavy Snow	Scattered Clouds	Broken Clouds	Clear	Fog
2	Œ	rs	S	HS	Sc	8	ō	4


OF WAR



Winter 94-95

10

Temperature (degrees F)







Winter 94-95


11

We will !

Huron County Hawkwatch 1994












luron County Hawkwatch 1994

Huron County Hawkwatch 1994






Winter 94-95

at a




Huron County Hawkwatch 1994

Buteos





Huron County Hawkwatch 1994



Falcons

